

MORMUGAO PORT TRUST MATERIALS MANAGEMENT DIVISION ENGINEERING (MECHANICAL) DEPARTMENT

MM/08/045/2021/

08.12.2021

To,

Dear Sir,

Sub:- Budgetary quotation No. MM/08/045.

You are requested to kindly furnish your budgetary quotation for the subject items shown below:-

Sr.	Code No.	Description	Qty.	Basic Rate/unit (Rs.)	Freight/ unit (Rs.)	Insurance /unit (Rs.)	GST/ unit (Rs.)	FOR Destination Amount/unit(Rs.	HSN Code
1	M08010010	Flexible multi strand copper wire PVC insulated and PVC sheathed, single core X 1 sq. mm suitable for wiring, rated for 1,100 volts conforming to IS 694 – 1990 with latest amendments.	2520 Mtrs.				1		
2.	M08010050	Flexible multi strand copper wire PVC insulated and PVC sheathed, single core X 2.5 sq. mm suitable for wiring, rated for 1,100 volts conforming to IS 694 – 1990 with latest amendments.	2070 Mtrs.			4			
3	M08010060	Cable single core PVC insulated & sheathed Copper, 6sq.mm 1100V	180 Mtrs.						
4	M08010150	Cable, electric, flexible, twin core, twisted, PVC insulated with copper conductor 0.5mm ² , 250/440V.	720 Mtrs.						
5	M08010170	Cable, electric, flexible, 4 core, PVC insulated and PVC sheathed, with copper conductor 2.5 sq. mm, 1100V, as per IS-694:1990.	900 Mtrs.						
6	M08010180	Aluminium Service wire, 2 core, 6sq.mm. 1,100 volts, with ISI mark	990 Mtrs.						
7	M08041600	Incandescent Lamp, electric, clear, 60W, 250V, with ISI mark, single coil gas filled, conforming to IS:418/78.	312 Nos,						
8	M08044280	Compact Fluorescent Lamp (CFL), 11W 2pin PL-S (non-integrated), 240V, cool day light, with minimum light output not less than 850 Lumens and confirming to BIS 9974 part-I & II with latest amendments	45 Nos.						
9	M08044300	Compact Flourescent Lamp (CFL), 18W/865 PL-C 2P, 240V, cool day light, with minimum light output not less than 1120 Lumens and confirming to BIS 9974 part-I & II with latest amendments	10 Nos						
10	M08044400	Lamp fluorescent 120m(4')L 40W 250V ISI	Nos						
11	M08044420	Tube light, LED, 18W for G13 fixture, with supply point (phase & neutral) on one side of holder.	700 Nos						

					1	
12	M08055000	LED Torch big mouth rechargeable batteries	02 Nos.			
13	M08065010	Electronic regulator surface type	400			
1)	*	for ceiling fan 230V	Nos. 100			
		CRCA sheet Channel Box Type luminaries (Fluorescent lamp	Nos.			
		fitting with out lamp, choke and	1103.			
14	M08070020	starter) suitable for 1200 mm, 1 x				
'		18/20 Watts Philips LED lamp				
		operating 170 Volts to 260 Volts				
		single Phase AC supply.				
	11000075110	Side holders for 4 feet tube light	100			
15	M08075110	fitting, screwed type.	Nos.			
		Post top lantern SV lamp fitting (08			
		without lamp and choke),	Nos.			
16	M08075280	Crompton make, catalogue				
		reference :SPT1207IL/WI, item				
		code:50007095CRO	20			
17	M08075350	Domestic bell 230V(Ding Dong	. 20 Nos			
		type)	Nos.			
18	M08075370	Indicator Bell with Red indicator	35 Nos.			
		lamp, ISI mark 500W Halogen fitting Black	05			
		powder coated die-cast aluminium	Nos.			
14	M08075400	housing, heat resistant toughened	1.00.			
19	1000070700	clear glass cover with aluminium				
		reflector including lamp				
		Electronic ignitor for 70W HPSV	30			
20	M08075600	lamp.	Nos.			
	M00075690	HPSV lamp SON-E 70W indoor	30			
21	M08075680	without starter.	Nos.			
00	M08075770	Choke for 70W 250V SV lamp.	20			
22	M00073770		Nos.			
23	M08076010	Bulkhead fixture complete for	10			
->	Moderati	60W pin type lamp, without lamp.	Nos.			
24	M08080050	BOX (Powder Coated) standard	10 Nos.			
		size for 3 Phase Energy Meter Switch, fuse, I.C.T.P & N., 30A,	18			
25	M08090030	500V.	Nos.			
		Switch Piano, 1Pole, 5Amps 240V,	1000			
26	M08090300	White	Nos.			
		Switch Piano, 1Pole, 15Amps	75			
27	M08090360	240V, White	Nos.			
		D.P. switch, complete, with fuse	35			
28	M08090420	and indicating lamp, 30A, 230V,	Nos.			
		conf. to IS:3854.				
20	M08100060	Angled Lamp Holder with shade	330 N			
29	1110010000	ring suitable for 60W,230V lamp.	Nos.			
30	M08110120	Socket 3pin flush type, 5Amps	220 Non			
30		240V, White	Nos.			
31	M08110140	Socket 3pin flush 15A 250V ISI	Nos.			
		Switch Socket Combined 15A (5	170			
20	M08110160	in 1) with indicator fuse and gang	Nos.			
32	11100110100	box				
		3pin Metal clad Top & socket,	30			
33	M08110170	20A, 230V for A.C.	Nos.			
2.	M00110010	Powder coated single phase Metal	25			
34	M08110210	clad box for A.C.	Nos.			
20	M08110250	Plug 3pin top 240V 15A with ISI	45			
35	WI00110230	marked.	Nos.			
36	M08110260	Plug 3pin top 240V 5A with ISI	60 Nos			
	1	marked.	Nos.			
-	M08110290	Kettle Element for Sterilizer,	10	STATE OF STREET		SECTION AND DESCRIPTION AND DE

知		2000W A with Socket	Nos.				
38	M08110300	Kettle Element for Sterilizer 2000W B without Socket	10 Nos.				
39	M08110320	Push bell switch surface type	30 Nos.				
40	M08130030	Casing caping patti 3/4" (2 metres std. length), white colour	100 Nos.				
41	M08130060	Casing caping patti 1/2" (2 metres std. length), white colour	100 Nos.				
42	M08150610	Bakelite sheet 6mm thick 4'x2' P- 1000 grade	02 Nos.				
43	M08151100	Tape, PVC, adhesive, black, 250m long, 1/2" wide	10 Nos.			,	
44	M08151110	Tape PVC Insulating non adhesive tape, Red not less than 18mm width in Rolls of 50 metres confirming to IS 7809 and with ISI mark.	80 Nos.	*			
45	M08151210	Tape PVC Insulating self-adhesive tape, Red not less than 18mm width in Rolls of 6.5 metres, with ISI mark.	750 Nos.				

Kindly note that we are a Govt. of India organization, and as such:-

- 1. **<u>VALIDITY:</u>** Your budgetary quotation should be valid for 60 days from the date of opening.
- 2. Kindly mention the Brand/Make of item quoted by you.
- The budgetary quotation requested is for an Annual Rate Contract which will be valid for a period 1 year.
- 4. Kindly submit your budgetary quotation on or before due date i.e. 22/12/2021.

Thanking you,

Yours faithfully,

SR. DY. MATERIALS MANAGER