

MORMUGAO PORT TRUST
ENGINEERING MECHANICAL DEPARTMENT
MECHANICAL MAINTENANCE SECTION-BAINA

CME/XEN(G)/Contract-01/2020/1650

Date: 21/10/2020

**Sub: "Hiring of 02 nos. Ambulances for a period of 05 years."
e-Tender no. CME/XEN(G)/CONTRACT-01/2020**


ADDENDUM – I & II

CORRECTIONS /DELETIONS, ETC...

[Total Number of Pages: 09]

NOTE:

1. Addendum - I is issued consequent to the discussions held at the Pre Bid Meeting on 16/10/2020. This "Addendum - I" should be read in conjunction with Tender Document reference no. CME/XEN (G)/CONTRACT-01/2020.
2. Addendum-II is issued on consequential corrections/deletions in the tender document.
3. All other terms and conditions of the Tender Document will remain unchanged.
4. Bidder shall upload one set of this "Addendum – I & II", along with one set of Tender Document, along with the Techno-Commercial Offer (in Cover-I), with each page of it, duly signed and sealed, as token of acceptance.


Chief Mechanical Engineer (I/c)

ADDENDUM-ICLARIFICATIONS REGARDING PRE-BID MEETING HELD ON 16/10/2020 AT 10.00 HRS FOR HIRING OF 2 NOS. AMBULANCES

| QUERRY No. | CLAUSE NO | PAGE NO. | TENDER CONDITION | BIDDER QUERIES | CLARIFICATIONS |
|------------|-------------------------------------|----------|---|--|---|
| 1. | Sec-II Clause No:- 2.3 A.(6) | 17 | The Ambulance shall have Goa tourist vehicle Registration with valid commercial permit for plying on roads. The applicable mandatory requirements as per regulations as stipulated by RTO, Govt. of Goa must be complied with and revalidated before the expiry of the due date during the entire tenure of the contract period. The Ambulance shall also have the valid commercial permit for plying in the states of Goa, Maharashtra and Karnataka | <ol style="list-style-type: none"> 1. Please also accept vehicles registered in other states too. 2. Our office is located in Mumbai, so if we win the contract then can provide Mumbai registration ambulance to you, because ambulance has all over India passing means can be run at any state. So, our request kindly consider our request for registration of ambulance at any place of India. 3. Since we are operating from Mumbai 'Maharashtra', the registration is done at Mumbai with all India road permit. | Tender conditions prevails |
| 2. | Sec-II Clause No:- 2.3 A.(12) | 18 | Contractor shall not engage the drivers below 18 years of age. And a minimum of 2 nos. drivers is expected to be deployed for 24 hrs. operation / service on each ambulance. | Kindly clarify If the driver will work under the motor transport act | Drivers shall have valid driving licence as per Indian Motor Vehicle Act. |

ADDITIONAL
Ax ENIM

ADDITIONAL
Ax ENIM

ADDITIONAL
Ax ENIM

| QUERY NO. | CLAUSE NO | PAGE NO. | TENDER CONDITION | BIDDER QUERIES | CLARIFICATIONS |
|-----------|------------------------------------|----------|--|---|---|
| 3. | Sec-II Clause No:- 2.9 | 20 | The contractor shall abide/comply by the laws/enactments or any other laws/acts which may be applicable/enforced from time to time in respect of the workmen employed by them under the contract including Minimum Wages Act, Employee's State Insurance Act and Employee's Provident Fund Act 1952 and schemes made under said Act. The contractor shall produce the remittance proof of monthly subscription of ESI/EPF in respect of the staff deployed by them along with the monthly bills. | 1. Please clarify if the minimum wages will be as per Central Govt or the state gov? 2. What is the salary to drivers in Goa as per minimum wages Act for 8 Hrs duties? (minimum wages salary copy attached for your kind perusal) | Minimum Wages shall be paid as per Govt. of India Act. Tender Conditions Prevails. |
| 4 | Sec-II Clause No:- 2.3 A.(8) | 18 | The contractor shall submit Health Permit from the Directorate of Health Services, Govt. of Goa, once the work order is issued to him but prior to the Ambulance is deployed for the work. | Need a clarity on why Health permit is required. Please provide procedure for the same. | The same is mandatory as per Goa Govt. and application in this regards needs to be made at the Directorate of Health and Services, Panaji, Goa. |
| 5 | Sec-III Clause No:- 3.11 | 27 | Completion period: The contractor shall supply Ambulances, AC & Diesel version as per the specification with drivers and as per quantity indicated within 30 days from the 7 th day of issue of Letter of Acceptance (LOA). | Please provide at least 60 days to provide a new vehicle as the process for procurement of new vehicle is long along with banking formalities | Delivery period is 30 days only. However any delay due to force majeure will be considered if genuine documentary proof of evidence is furnished from the dealer. |
| 6 | NIOT | 4 | Joint Venture | Please allow Joint venture. Also, can an organization use the experience of its parent company and bid with the name of subsidiary company which is new? | Tender Conditions Prevails. |

Signature
AX (En/In)

Signature
XEN (4)

Signature

| QUERY No. | CLAU SE NO | PAGE NO. | TENDER CONDITION | BIDDER QUERIES | CLARIFICATIONS |
|-----------|--------------------------------------|----------|--|--|---|
| 7 | SOP ANEXURE-II (6) | 44 | General | Please specify who will provide the PPE | PPE will be provided by MPT Hospital. |
| 8 | C. No 3.56 WELFARE SCHEMES ANEXURE I | 43 | LIST OF WELFARE/SOCIAL SCHEMES TO CLAIM BENEFITS FOR BUILDING WORKERS UNDER THE GOA BUILDING AND CONSTRUCTIONS WORKERS WELFARE BOARD | 1. Kindly clarify who will bear the expenses for this schemes and how is this required for ambulance service? 2. Is this scheme applicable to ambulance service employees or not? | Refer clause no:3.56 of the tender. Tender Conditions Prevails. |
| 9 | APPENDIX -II Annual Turn over | 52 | Note: Copies of audited balance sheets with profits & loss account statement for last 3 years duly certified shall be enclosed along with the bid. | Please accept self certification as the audited financials would be attached with the same. | Tender Conditions Prevails. |
| 10 | APPENDIX - VI | 57 | DECLARATION FORM | Would stating Yes/No lead to ineligibility of the organisation? | 1. Tenderer shall agree to all terms and conditions of tender. 2. Also refer Clause nos:1.11, 1.13(i) j, and 3.10. 3. As such all Tender Conditions Prevails. |
| 11 | APPENDIX-VIII | 59 | DETAILS OF AMBULANCES TO BE SUPPLIED Content | This would be provided after award of contract, please remove this for set of submission documents. | These details may be provided after the award of contract. |

Shilpa
Axen(lm)

Shilpa
Axen(S)

Shilpa

| QUERY NO. | CLAUSE NO | PAGE NO. | TENDER CONDITION | BIDDER QUERIES | CLARIFICATIONS |
|-----------|--|----------|--|---|--|
| 12 | APPENDIX-IX | 60 | ADVANCE STAMPED RECEIPT | Is this to be supplied alongwith tender documents? | Tender Conditions Prevails. |
| 13 | Annexure VII and other GST clauses in tender | 50 | GST | 1. GST applicable in GOA for ambulance or not? 2. GST If GST is applicable please provide the % of GST. | GST for service of ambulance is not applicable in GOA state. However other tender conditions regarding GST prevails. |
| 14. | Section II 2.3 A(12) | 18 | Contractor shall not engage the drivers below 18 years of age. And a minimum of 2 nos. drivers is expected to be deployed for 24 hrs. Operation / service on each ambulance. | Request you to please consider 03 drivers for this project, because if 1st driver gone on leave on any emergency then 2 nd driver get difficult to continue service till joining of 1st driver or to deploy another new driver. | Engaging more than 02 drivers is your prerogative as per your operational requirement. However Tender conditions prevails. |
| 15. | Section II 2.3 A(12) | 18 | A minimum of 2 nos. drivers is expected to be deployed for 24 hrs. Operation /service on each ambulance. | Can we consider only drivers require for this project? | Tenderer shall supply Ambulances with Drivers. Other medical staff shall be provided by Port. |

Siddhant
AXEN(lm)

XEN(G)

[Signature]

| QUERY NO. | CLAUSE NO | PAGE NO. | TENDER CONDITION | BIDDER QUERIES | CLARIFICATIONS |
|-----------|-------------|----------|--|--|---|
| 16. | Cl. No 2.3 | 17 to 20 | The Ambulances being supplied must be factory built of an integrated panel van in monocoque construction in compliance of Automotive Industry Standards (AIS) 125 norms for constructional and functional requirements for Road Ambulance (National Ambulance code)contd. as in tender | The scope of work required ambulance as per AIS 125 norms however the specific type of ambulance is not mentioned. Looking to other parameters mentioned in the specification, we presume that you need Type-C Ambulance kindly confirm. | Our requirement is Basic life support Ambulance (Type -C) with Air Conditioning system and other requirements/Terms/Conditions as stipulated in the tender. |
| 17. | 1.5.1 (iii) | 10 | The Tenderer should have experience in 'Similar Works during last 7 years ending last day of month previous to the one in which tenders invited | We have experience as required in the tender document but we are 3 and half yrs old company and not 7 yrs can we qualify for the tender | Tender Conditions Prevails. |
| 18. | 1.5.1 (ii) | 10 | Relaxation of the Average Annual Financial Turnover to SSI/MSME registered with NSIC to Rs. 4,32,000/- subject to meeting of quality and technical specifications. | We are registered MSME but not understood about under NSIC. Kindly clarify. | SSI/MSME firms not registered NSIC also eligible for availing the benefits. |
| 19. | 1.13 | 13 | The bidder shall submit copy of valid GST Registration Certificate, PAN, EPF registration and ESI registration number. | We have PF ESIC GST certificates but we use labour contractor for manpower so can we submit labour contractor PF ESIC too | Tender Conditions Prevails. |

Bobulj
Axen(m)

Bobulj
Axen(G)

Bobulj

| QUER RY No. | CLAU SE NO | PAGE NO. | TENDER CONDITION | BIDDER QUERIES | CLARIFICATIONS |
|-------------------|---------------------|-------------|---|---|---|
| 20. | Sec.II 2.3(D), 7 | 19 | Standard make Suction apparatus to be provided which should be simple to operate either by foot, hand or knee to clear patient's airway safely and efficiently, anytime. The device should be complete with aspiration pump, suction vessel and over spill protection. The device must have integrated built in lead batteries allowing minimum 1 hour autonomous operation. The unit should be supplied with its own wall fixture to rigidly fix the unit to the ambulance wall which should be manufactured as an original equipment accessory by the manufacturer. | Suction machine- in built lead battery with 1 hour back up- can you specify the company or brand required for such suction machine please? | Brand of the suction machine shall be RK or Metsor Impex |
| 21. | Annexure - V | 47 | DECLARATION & UNDERTAKING BY MICRO & SMALL SCALE ENTERPRISES | We are Registered under START UP by department for Promotion of Industries and Internal Trade and there is no clear benefits shown towards the Start Ups. Request to kindly consider and provide necessary benefits so as to participate as Start up In the above tender considering the present Covid-19 Pandemic Situation. | Firms registered under START UP are not considered as per tender. |

Abdul Aziz
AXENIM

Ali Khan (S)

[Signature]

| QUERRY No. | CLAUSE NO | PAGE NO. | TENDER CONDITION | BIDDER QUERIES | CLARIFICATIONS |
|------------|---|----------|---|---|---|
| 22. | NIOT | 4 | Payment of Tender Fee & EMD | We are Registered under MSME, Udhyan Registration as Micro Services Firm also and also there is no benefits of EMD and Tender Fee waiver clearly mentioned in the Tender doc. And request to kindly clarify and help us to participate in the tender. | Firms registered under MSME, Udhyan Registration as Micro Services Firm are considered for benefits applicable for MSME as per the tender. |
| 23. | Section I Clause No 1.21 (g) | 15 | Evaluation of Pre bid: Micro and Small Enterprises participating in the tender, quoting price within price band of L1+15 per cent will be allowed to supply a portion of requirement by bringing down their price to L1 price in a situation where L1 price is from someone other than a Micro and Small Enterprise and such Micro and Small Enterprise will be allowed to supply up to 20 per cent of total tendered value, subject to meeting of quality and technical specifications. | How 15 percent calculation for MSME? | 15% calculation is as per the guidelines from the Ministry of Govt. of India. |
| 24. | Section III Clause No. 3.33 force majeure | 35 | If the Supply, Installation, Testing and Commissioning of equipment is hindered due to force majeure such as, war, riots, civil commotion, fire, epidemics, natural calamities like rain, flood, earthquake, cyclone, draught, etc. such period shall be exempted from Completion period of this tender document. | Due to outbreak of Covid 19, if delivery of the vehicle from company dealer is delayed beyond the schedule time as per tender whether MPT will give suitable extension without LD. | Delivery period shall be 30 days only. However any delay due to force majeure will be considered if genuine documentary proof of evidence is furnished from the dealer. |

(Signature)
AXENTIVE

(Signature)
XEN(G)

(Signature)

| QUER RY No. | CLAU SE NO | PAGE NO. | TENDER CONDITION | BIDDER QUERIES | CLARIFICATIONS |
|-------------------|----------------------------------|-------------|---|---|--|
| 25. | Section II Clause No. 2.32 | 22 | In case the ambulances needs to be taken to the workshop /service centre for periodical maintenance or any other repairs and maintenance then the contractor shall provide a substitute vehicle having capacity of not less than the original supplied as an alternative arrangement. | When ambulance required to take for routine servicing, break down or accident repair to the work shop, what will be the substitute vehicle? | Substitute vehicle having capacity of not less than the original supplied as an alternative arrangement. |
| 26. | ----- | ---- | ----- | Attender should be made available from hospital while transporting /shifting to the patient. | Attender will be made available from hospital while transporting /shifting to the patient. |

COOPER
As Encl (m)

XEN(S)

[Signature]

ADDENDUM-II

Tender for "Hiring of 02 nos. Ambulances for a period of 05 years."

e-Tender no. CME/XEN(G)/CONTRACT-01/2020


This Addendum-II is with regards to the following clauses.

1. The words "**registered with NSIC**" in following clauses stands deleted.
 - a) NIOT under "Payment of tender fee & EMD" at page no-4
 - b) NIOT under "Qualifying criteria" at page no-5
 - c) Clause 1.51(ii) "Minimum Eligibility Criteria" (MEC) at page no-10
 - d) Clause 1.8.2 at page no-11
 - e) Clause 1.13 "Test of responsiveness" at page no-13

2. The words "**start-ups**" in following clauses stands deleted.
 - a) Annexure-V, under Sr. 2, of table therein on page no.47
 - b) Annexure-V, at item B, on page. 47

3. The following clause is deleted.

Annexure-V, item B (c) on page 48.


XEN(G) 