Price Sheduled (Bill Of Quantities)

Sub: Annual Rate Contract (ARC) for re-winding of LT motors, alternators and welding machines

Sr. No.	Description	Installed Quantity (nos.)	Rate Per Unit (Rs)		
	EWINDING OF AC MOTORS, SQUIRREL CAGE	-			
1	450W, 1 phase, exhaust fans	7			
2	0.37KW/0.5 HP, 3 phase/1 phase, 440V/230V	15			
3	0.75kW/1 HP, 3 phase/1 phase, 440V/230V	14			
4	1.2 KW/1.5HP , 3 phase/1 phase, 440V/230V	29			
5	1.5 KW/2 HP, 3 phase, 440 V	7			
6	2.25KW/3 HP, 3 phase, 440 V	11			
7	3.75KW/5 HP, 3 phase , 440 V	28			
8	7.5 HP, 3 phase, 440 V	11			
9	10 HP, 3 phase, 440 V	8			
10	15 HP, 3 phase, 440 V	8			
11	15 KW/20HP, 440 V	8			
12	22.5KW/30 HP, 440 V	9			
13	30KW/40 HP, 440 V	2			
14	45KW/60 HP, 440 V	3			
15	75 KW/ 100 HP, 440V	1			
(II) DC	SERIES MOTOR, 0.44KW/0.59HP, 1700RPM,110	Volts			
а	Rewinding of Armature	41			
b	Rewinding of Field	41			
С	Overhauling & improvement of IR values and replacement of carbon brushes/minor spares	41			
(III)) ALTERNATORS				
1	Alternator 500 KVA, 1500 rpm				
а	Rewinding of Stator	1			
b	Rewinding of Rotor	1			
С	Overhauling & improvement of IR values and replacement of carbon brushes/minor spares	1			
2	Alternator 300/320 KVA, 1500 rpm	<u> </u>			
а	Rewinding of Stator	3			
b	Rewinding of Rotor	3			
С	Overhauling & improvement of IR values and replacement of carbon brushes/minor spares	3			
3	Alternator 250 KVA, 1500 rpm				
а	Rewinding of Stator	1			
b	Rewinding of Rotor	1			

С	Overhauling & improvement of IR values and replacement of carbon brushes/minor spares	1			
4	Alternator 160 KVA, 1500 rpm				
а	Rewinding of Stator	1			
b	Rewinding of Rotor	1			
С	Overhauling & improvement of IR values and replacement of carbon brushes/minor spares	1			
5	Alternator 125 KVA, 1500 rpm				
а	Rewinding of Stator	1			
b	Rewinding of Rotor	1			
С	Overhauling & improvement of IR values and replacement of carbon brushes/minor spares	1			
6	Alternator 100 KVA, 1500 rpm				
а	Rewinding of Stator	1			
b	Rewinding of Rotor	1			
С	Overhauling & improvement of IR values and replacement of carbon brushes/minor spares	1			
7	Alternator 45 KVA, 1500 rpm (Truck mounted)				
а	Rewinding of Stator	1			
b	Rewinding of Rotor	1			
С	Overhauling & improvement of IR values and replacement of carbon brushes/minor spares	1			
8	Alternator 15 KVA, single phase, 1500 rpm				
а	Rewinding of Stator	2			
b	Rewinding of Rotor	2			
С	Overhauling & improvement of IR values and replacement of carbon brushes/minor spares	2			
9	Alternator of welding Generators set, Current range 60-400A, Max. input 22KW				
а	Rewinding of Stator	2			
b	Rewinding of Rotor	2			
С	Overhauling & improvement of IR values and replacement of carbon brushes/minor spares	2			
	IV REWINDING OF WELDING TRANSFORMERS				
1	Oil Cooled, current range 60-400A, 3 phase	2			
2	Oil Cooled, current range 25-300A, 3 phase	3			
3	Air cooled type, 3 phase, 10-400 Amps,	1			

4	Thyristor welding Transformer, current range 400A, 3 Phase	3	
5	Thyristor welding Transformer, current range 20A-600A, 3 Phase	1	
6	Oil cool, current range 30A, 1 phase	1	
	TOTAL		0

Note

- 1. Rates quoted shall be exclusive of GST
- 2. Scope of work is enclosed as Annexure-1

