

e-TENDER No. MM/NS/CE/ARC/0045

FOR "Annual Rate Contract for supply of material for water supply" through e-TENDER ON WEB SITE www.tenderwizard.com/MPT

Due at 11.30 hrs on 15.06.2017

#### NOTICE INVITING ONLINE TENDER (NIOT)

| Tender inviting   | MATERIALS MANAGER, MORMUGAO POI  | RT TRUST  |
|---|--|---|
| e - Tender No.  | MM/NS/CE/ARC/0045  |   |
| Name of Work  | Annual Rate Contract for supply of supply.   | materials for water   |
| Estimated Cost (INR)  | Rs. 11.3 Lakhs   |   |
| Bidding Type  | Open <u>(e-Tender Mode O</u>   | nly)  |
| Tender Currency<br>Settings                                 | Indian Rupee (INR)   |   |
| Tender Cost   | Rs. 2,000.00   | Mode of Payment :<br>e-Payment Only   |
| EMD Cost  | Rs. 16,950.00  |   |
| Transaction fees (Processing fees payable by each Tenderer) | This fee will be paid by MPT to<br>Keonics   |   |
| Payment of Tender Fee & EMD                                 | The Tender fee and EMD shall be paid in For exemption of EMD, the Certificate from any empowered Central/State Govt. Authorized in electronic format (by scanning) while up Mode of Payment towards Tender Cost to e-Payment mode before due date via:  i. National Electronic Fund Transfer Gross Settlement RTGS). Tenderer aprinted Challan towards credit of tender website and make its paymer Bank.  ii. Internet Payment Gateway (Debit Jenter Payment Gateway (Debit Jenter) | om SSI/MSME/NSIC or ority shall be submitted bloading the bid.  be paid online through r (NEFT) / Real-Time requires download prefi ITG available on ent through any of their |

|   | VISA, MASTERCARD or RuPay.  iii. Net Banking: Payment can be made through the Internet Banking of Any Bank.  Note: Any Payments made through NEFT/RTGS will take 24 hours for its reconciliation. Hence the payments through NEFT/RTGS should be made at least TWO BANK WORKING DAYS in advance before any due date and upload the scanned copy of challans in the e-Tender website as a token of payment. |
|---|--|
| Security Deposit                        | 5 % of the contract value to be furnished within 30 days of placement of rate Contract /LOA. The security deposit will be refunded on completion of the rate contract period.  |
| Validity Period of<br>Rate Contract     | One year from the date of release of Rate contract.  |
| Qualifying Criteria                     | PRE-QUALIFICATION CRITERIA / BIDDING CONDITION   |
|   | i) The Tenderer should have experience in 'Similar Works during last 7 years ending last day of month previous to the one in which tenders invited should be either of the following:-   |
|   | a) <b>One</b> similar completed work of contract value not less than <b>Rs.9.04 lakhs</b>  |
|   | (or)   |
|   | b) <b>Two</b> similar completed works of contract value not less than <b>Rs.6.78 Lakhs each</b>  |
|   | (or)   |
|   | c) <b>Three</b> similar completed works of contract value not less than <b>Rs.4.52 lakhs each</b>  |
|   | 'SIMILAR' Works – means "Supply of materials for water supply like PVC Elbows, Reducer, Pipes, TEE etc."   |
|   | <b>Pl Note:</b> The Tenderers shall enclose work order copies for similar works and value of work done.  |
| Last Date & Time<br>for Receipt of Bids | 15/06/2017 @ 11.00 Hrs.  |
| Bid Opening Date                        | Techno-commercial Cover will be opened on <b>15/06/2017</b> @ <b>11.30 hrs</b> . Date of opening of price bid shall be notified after scrutiny and evaluation of Techno-commercial Bid.  |

| Bid Validity   | 120 days from the last date fixed for receiving the tender.  |
|--|--|
| Online Documents<br>required to be<br>submitted by<br>scanning | <ul><li>a. Copy of documents viz. Work Orders, Completion certificate with performance,</li><li>b. Entire Tender document, each page and form duly signed and filled in.</li></ul> |
| Address for communication:                                     | Materials Manager, A.O. Bldg., 2 <sup>nd</sup> floor,  Mormugao Port Trust, Headland Sada - 403804   |
| Contact Details  | For Tender related queries:  |
|  | Phone :08322594501; Email : <u>mm@mptgoa.com</u>   |
|  | For e-Tendering related queries:   |
|  | E-Tender Help Desk,  |
|  | 3rd Floor, IT-HUB  |
|  | Opp. Govt. ITI, Altinho  |
|  | Panaji, Goa - 403001   |
|  | www.tenderwizard.com/MPT   |
|  | Ambasa - 09686196764   |
|  | Harish K. B 09686115318  |
|  | Dilip Pai B. – 08888636107   |
|  | Email: mptetender@gmail.com  |
| Website  | www.tenderwizard.com/MPT   |

#### Format and Signing of Bid

The Price Bid to be submitted on-line shall be signed digitally by a person or persons duly authorized to sign on behalf of the Bidders.

The Bid shall contain no alterations additions, except those to comply with instructions issued by Port.

#### INSTRUCTIONS FOR ONLINE BID SUBMISSION

- 1. Bidders to follow the following procedure to submit the bids online through the e-tender site <a href="https://www.tenderwizard.com/MPT">www.tenderwizard.com/MPT</a>
- 2. Bidder should do the registration in the tender site using the 'Vendor Registration' link available on home page.
- 3. Then the Digital Signature of SIFY/TCS/nCode or any Certifying Authority is to be registered after logging into the site.
- 4. Bidder can use 'Document Library' menu to upload technical documents in advance as required for various tenders and use them during bid submission. This will facilitate the bid submission process by reducing time.
- 5. Bidder may get the tenders published documents in 'Tender free view' link in home page and download the required documents/tender schedules by free of cost for read only.
- 6. Bidder then login into the site using the secured log in by giving the user id/password chosen during registration and password of the DSC/e-token.
- 7. Only one DSC should be used for a bidder and should not be misused by others.
- 8. Bidder should read the tender schedules carefully and submit the documents as asked, otherwise, the bid will be rejected.
- 9. If there are any clarifications, this may be obtained using clarifications or during the pre-bid meeting. Bidder should take into account of the Addendum/Corrigendum's published before submitting the bids online.
- 10.Bidder must fill the bid documents to be submitted as indicated in the tender schedule and they should be use the uploaded format in website.
- 11. Bidder should prepare the EMD and tender fee as specified in the tender. While, the tender fee and EMD shall be paid through e-payment mode.
  - To claim exemption from EMD, exemption Certificate from SSI/MSME/NSIC or any empowered Central/State Govt. Authority shall be submitted in electronic format (by scanning) while uploading the bid.
  - However, either a Soft copy (scanned copy) or Hard copy of EMD/ EMD Exemption Certificate from SSI/MSME/NSIC or any empowered Central/State Govt. Authority & also e-payment of Tender Fee shall confirm the opening of the Technical Bid of the respective firms.
- 12. Bidder selects the tender which he is interested using Tender search option initially the tender will be available in vendor unapplied stage.
- 13. From vendor unapplied stage Bidder has to requested the tender document by clicking on request tender form level-1 icon.
- 14. After requested the tender, same will move to vendor in progress.
- 15. The bidder has to select 'Edit Attachment Level 1' icon under action menu of particular tender.
- 16. The Bidder has to enter the password of the DSC/e-token and the required bid documents have to be uploaded one by one as indicated.

- 17. The vendor has to quote the rates in provided excel sheet (BOQ) by filling the highlighted in blue color cells and should be updated. The BOQ document, if found modified by the bidder, his bid will be rejected.
- 18. The tendering system will give a successful bid updation message & then a bid summary will be shown with the bid no. & the date & time of submission of the bid with all other relevant details. The bidder has to submit the relevant files required as indicated in the cover content. In case of any irrelevant files, the bid will be rejected.
- 19. The bid summary has to be printed and kept as an acknowledgement as a token of the submission of the bid.
- 20. The bid summary will act as a proof of bid submission for a tender floated and will also act as an entry point to participate in the bid opening date.
- 21. For any clarifications with the Tender Inviting Authority (TIA), the bid number can be used as a reference.
- 22. Bidder should log into the site well in advance for bid submission so that he submits the bid in time (i.e.) on or before the bid submission time. If there is any delay, due to other issues, bidder only is responsible.
- 23. Each documents to be uploaded online for the tenders should be less than 5 MB. And BOQ and Technical bid should be less than 2 MB. If any document is more than 5 MB, it can be reduced by scanning at low resolution and the same can be uploaded.
- 24. The time settings fixed in the server side & displayed at the top of the tender site, will be valid for all actions of requesting, bid submission, bid opening etc., in the e-tender system. The bidder should follow this time during bid submission.
- 25.All the data being entered by the bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered will not viewable by unauthorized persons during bid submission & not be viewable by any one until the time of bid opening.
- 26. The confidentially of the bids is maintained since the secured Socket Layer 128 bit encryption technology is used Data storage encryption of sensitive fields is done.
- 27. Any document that is uploaded to the server is subjected to symmetric encryption using a generated symmetric key. Further this key is subjected to asymmetric encryption using buyers public keys. Overall, the submitted tender documents become readable only after the tender opening by the authorized individual.
- 28. Tenderer is required to submit their tender through online in the form of Two cover system on or before due date of closing time. The tender received after the due date and time will not be entertained.
  - Tender Document can be submitted online only in the designated two cover system on the e-tender website <a href="www.tenderwizard.com/MPT">www.tenderwizard.com/MPT</a> on or before the due date and time.

- Tenderer should submit the tender as per specification indicated in BOQ and accordance with the instructions to Tenderers, Tender Information Sheet, General Conditions of Contract and Special Conditions of Contract, etc.
- 29. Technical and Commercial bid(Cover-I): The tenderer shall upload in the e-portal website, in the form of scanned copy, documents required as per Pre Qualification Criteria, Test of Responsiveness and other Appendix (Form of Tender, Annual Financial turnover, Power of Attorney etc.) as specified in the Tender.
- 30. Price Bid (BOQ) –(cover-II): Price should be quoted in Online "BOQ". Price should be quoted in a spread sheet file (.xls format) available in e- tender portal only. Any indication of 'Quoted price' in the online technical bid documents shall be lead to rejection of the bid outright. For evaluation purpose, the uploaded offer documents will be treated as authentic and final. The price bid submitted through e-tender mode only will be taken up for the purpose for evaluation.

#### 31. Other conditions:

- a. There are no significant inconsistencies between the proposal and the supporting documents.
- b. The Port Trust reserves the right to reject any tender which in its opinion is non-responsive and no request for alteration, modification, substitution or withdrawal shall be entertained by the Port Trust in respect of such Tenders.
- c. The Port Trust would have the right to seek clarification on Technocommercial conditions wherever necessary.
- d. Since the tender involves selection based on pre-qualification criteria and technical specification, the Materials Manager will examine and seek clarification if any and list out the firms, which are found technically suitable and Cover–II (Price Bid) of such tenders only will be opened and EMD will be returned to the disqualified tenderers.
- e. The date and time will be intimated to tenderers whose offers are found suitable and Cover–II of such tenderers will be opened on the specified time and date.



MM/NS/CE/ARC/ 23/05/2017

To,

Dear Sir,

Last date and time of submission of tender: 15/06/2017 on or before 11.00 hrs.

Sub: Annual Rate Contract for supply of of materials for water supply as per Annexure 'A' attached.

**Ref:** Tender No. MM/NS/CE/ARC/0045 due on 15.06.2017 at 11.00 hrs. **EMD:** Rs. 16,950.00 (Rupees Sixteen thousand nine hundred and fifty only)

You are requested to furnish sealed tenders in the **two bid system** against our E-Tender.

The Techno Commercial (Cover–I) shall contain complete & detailed technical specifications and commercial terms and conditions. The same should be submitted along with Earnest Money Deposit. Commercial and technical deviations if any should be clearly spelt out. The Cover–II marked "Price offer" should contain **only the prices** without any conditions.

Cover-I "Techno Commercial offer" shall be opened on 15.06.2017 at 11.30 hrs.

**Cover – II** (Price Offer) will be opened only the tenderer qualify the Techno Commercial offer duly informing the date and time.

Tenders shall be accompanied by EMD of Rs. 16,950.00 (Rupees Sixteen Thousand nine hundred and fifty only). The EMD shall be paid in e-payment mode only by RTGS in our bank before submission of bids. Our Bank details are attached to this tender. For exemption of EMD, the certificate from SSI/MSME/NSIC or any empowered central/state Govt. authority shall be submitted in electronic format (by scanning) while uploading the bid. Incomplete tenders or tenders without EMD will not be accepted. Tenders should be kept valid for a minimum period of 120 days from the date of opening and shall conform to the general terms and conditions of contract attached.

The administration reserves the right to reject any or all tenders or accept any tender wholly or in part without assigning any reason whatsoever.

Yours faithfully,

MATERIALS MANAGER



#### **Instructions to Tenderers**

#### **GENERAL**

- 1. Only reputed tenderers having experience in supply of <u>material for</u> water supply are eligible to apply for this tender.
- 2. Tenders received before the last date and time will be opened on due date at 11.30 hrs. The bidders can witness the tender opening if required.
- 3. The tenderers shall deposit the **Earnest Money Deposit** amount of **Rs. 16,950.00** by RTGS in our Bank as per the bank details attached. The EMD shall be paid in e-payment mode only. For exemption of EMD, the certificate from SSI/MSME/NSIC or any empowered central/state Govt. authority shall be submitted in electronic format (by scanning) while uploading the bid. The details towards the EMD payment made shall be indicated in the technical cover (Cover-I). **Offers without the Earnest Money Deposit will not be considered.**
- 4. The tender Earnest Money deposits of unsuccessful tenderers will be refunded by EFT, after a decision has been reached as regards to the acceptance of the tender. Kindly furnish your full bank details along with your offer.
- 5. The prices should be quoted item wise separately. Prices quoted on lumpsum basis (i.e. for all the items taken together) will not be considered and the offer is liable to be rejected.
- 6. Offers should not contain any sort of conditional discounts based on quantity or value of order. Offers containing such conditional discounts will be rejected.
- 7. The prices should be valid for part quantities also.
- 8. We are not entitled for "C" or "D" forms. As such full C.S.T. will be applicable. Any statutory changes in taxes can be considered only if these changes occur within the contractual delivery period.
- 9. The Excise duty quoted should be firm and not vary with changes in the <u>turnover limits</u> of a company. However, statutory changes in the Excise Duty made by the Government either in the Budget or otherwise can be considered only if these changes occur within the contractual delivery period. Whatever Excise duties are payable, documentary evidence should be produced along with the bill; otherwise the bill will not be settled.
- 10. The Tender Conditions, Conditions of Contract and the Tender Form attached should be signed and submitted along with "Techno Commercial Offer" Cover I in acceptance of all the terms and conditions mentioned therein. In case this is not done the tender is liable to be rejected.
- 11. The offer submitted should satisfy all technical specifications in the attached Annexure-'A', else the offer is liable to be rejected.

- 12. If the offers are found to deviate from our commercial terms & conditions and technical specifications they are liable to be rejected.
- 13.All documentary evidence and information requested should be furnished along with your offer without fail.
- 14. Please note that the Port extends concession such as exemption in payment of EMD to Small Scale Industries registered with the NSIC.
- 15. The Administration reserves the right to reject any tender in part or in whole without assigning any reason for doing so.

#### **MATERIALS MANAGER**

NOTE: The above format should be attached to your offer duly signed and stamped failing which your offer will be considered as incomplete and liable for rejection. Further, ensure that every page is signed and stamped.



#### TERMS AND CONDITIONS

- 1. Only tenderers who have experience in supply of\_materials for water supply section are eligible to apply for this tender. In case of manufacturers, the supplies to be effected through local dealers situated at Goa or surrounding areas so as to supply the items well in time and also to replace the rejected/ damaged items immediately if there is any rejection/ damage to the supplied items.
- 2. **PRICES:** Prices quoted should be on F.O.R. destination basis inclusive of transit insurance indicating clearly the quantum of taxes and other charges whatsoever applicable. The prices should be firm for a period of one year from the date of award of Annual Rate Contract. However, in case of any statutory revision in taxes, duties within the validity period of the Rate Contract/delivery period of supply order, the same will be considered provided you furnish documentary evidence such as copy of Govt. notification.
- 3. <u>Taxes</u>: Please note that we do not issue 'C' or 'D' forms and as such full CST/VAT is applicable.
- 4. **Excise Duty**: The quantum of Excise duty applicable will not be considered for evaluation of the tender, wherever the Port is eligible for CENVAT credit. The manufacturers should confirm that they will produce the Tax invoice along with the supplies and in case of dealers, they should be registered with the Excise authorities and should confirm that they will produce Tax invoice in their own name to enable Port avail CENVAT credit. In case they are unable to provide Tax invoice as above, required by the Port to avail CENVAT credit, their offer will be evaluated including the Excise Duty component. Also, tenderers who agree to furnish Tax invoice as above in their offer but fail to produce the same at the time of supply, the amount towards Excise duty component will be deducted from their bill.
- 5. **Quantity:** The quantities indicated are our approximate annual requirements. Orders will be released for one third the annual quantities at the time of award of Annual rate contract. Orders for balance quantities will be released from time to time based on our actual requirements and there is no contractual liability on our part to order or accept the quantities as per the Rate Contract in full.
- 6. **Delivery:** The materials are to be supplied within 4 weeks of receipt of orders. The materials will have to be supplied on 'Door delivery' basis to our Stores at Baina, Vascoda-Gama, Goa duly insured at your cost. The successful bidder will have to improve upon the delivery and arrange to supply the PVC/APVC items within a week.
- 7. **Packing:** The materials shall be duly packed to withstand the hazards of transportation.
- 8. **Inspection:** The material will be inspected by our Quality Control Officer on receipt at our Stores. Any damage to the items during transportation shall be to Supplier's account. If the supplied items are rejected due to any defects/quality, the supplier has to make his own arrangements at his cost to lift the rejected materials and to replace the same immediately.
- 9. **Payment:** Our payment shall be 100% payment within 30 days of receipt of material by ECS/EFT.
- 10. **Validity:** The Supply Contract shall be valid for a period of 1 year from the date of award of Annual Rate Contract.

- 11. **SECURITY DEPOSIT:** Within 14 days of acceptance of the tender, the successful tenderer will have to affect a Security deposit equal to 5% of the value of the rate contract by Demand Draft or by Bank Guarantee from a Scheduled Bank. The Demand Draft should be drawn in favour of the Financial Advisor and Chief Accounts Officer, Mormugao Port Trust, Goa payable at Mormugao Harbour, Goa. However, in case the Security Deposit is furnished by way of Bank Guarantee, the same should be valid for a minimum period of 15 months from the date of award of Annual Rate Contract. Please note that we do not accept Bank Guarantee issued by ICICI Bank.
- 12. **LIQUIDATED DAMAGES**: Supply schedule as per order should be strictly adhered to. In the event of delay in supplies, Liquidated Damages at 1% of the total basic value of the <u>undelivered quantity</u> will be levied per week or part thereof of delay. The total Liquidated Damages shall however not exceed 10% of the total basic value\_of the order. The total value here means the total value of the order exclusive of excise duty, taxes etc. The date of receipt of material at our Stores at Baina, Vasco will be considered as date of delivery for the purpose of Liquidated Damages.
- 13. **FORCE MAJEURE & EXTENSION IN DELIVERY PERIOD**: In case of failure to deliver the goods in time which shall have arisen due to war, insurrection, restraint imposed by the Government Act or Legislation or other Authority, accident, strike, riot, lock-out or unforeseen events beyond human control directly or indirectly interfering with the supplies of stores or from any cause which the purchaser may admit as reasonable ground for an extension of time, the purchaser will allow such additional time he considers reasonable provided that the contractor shall report to the purchaser the occurrence of any cause as aforesaid which will or might affect the performance of the contract within a reasonable time. Requests for extension received after expiry of the delivery schedule will not be entertained
- 14. The full details as regards Permanent Account Number (PAN) (Income Tax) Bank A/C No. and type of A/C, Name, Address, MICR Code and IFSC Code of Bank, etc. should be furnished as per our format attached.
- 15. **JURISDICION:** In case of any dispute the jurisdiction will be GOA only.
- 16. **Agreement:** You will have to enter into an agreement with this Administration for satisfactory execution of the order. The cost of stamp paper should be borne by you. We will prepare the agreement documents and forward them to you for your signatures. For the purpose of agreement you will have to immediately furnish the name and designation of your official, who is empowered to sign the agreement papers, upon receipt of this order.

| We hereb | y agree t | o all the | above to | erms and | l conditions. |
|----------|-----------|-----------|----------|----------|---------------|
|----------|-----------|-----------|----------|----------|---------------|

Signature and Seal of Tenderer

NOTE: This above format should be attached to Cover-I of your offer duly signed and stamped, failing which your offer will be considered as incomplete and liable for rejection.



#### CONDITIONS OF CONTRACT

#### 1. **DEFINITIONS**:

PURCHASER means \*MATERIALS MANAGER\* on behalf of the Chairman of the Board of Trustees of Mormugao Port trust.

INSPECTION OFFICER\* means the person, firm or department nominated by the purchaser to inspect stores on his behalf.

\*CONTRACTOR \* means the person, firm or company whose tender is accepted.

- 2. **CONTRACT:** This contract is for the supply of stores of the description at the rate in the quotations as and at the time and place detailed in the Schedule Order.
- 3. **DELIVERY:** The contractor shall arrange deliveries of stores as detailed in supply order the time and place and the manner specified therein.
- 4. **DELIVERY THE ESSENCE OF THE CONTRACT:** The time given for delivery or despatch shall start from the date of receipt of order by the Contractor. The time for the date of delivery or despatch stipulated in the Schedule/Order shall be deemed to be the essence of the contract. In the event of the Contractor failing to effect delivery in the manner aforesaid, the Purchaser shall be entitled to recover from Contractor as Liquidated Damages and not as penalty a sum not exceeding 1% of the price of stores which the Contractor has failed to deliver as aforesaid for every week or part thereof during which the delivery of such stores may be delayed. The maximum liquidated damages shall however not exceed 10% of the value of the material ordered. If the Contractor shall delay to complete the supplies or installment thereof as provided in the Schedule/Order by a period greater than 8 (eight) weeks, the purchaser may without prejudice to his claim for Liquidated Damages, terminate the contract and shall be entitled to purchase elsewhere on the account and at the cost of the Contractor, the stores which the Contractor has failed to deliver and the Contractor shall be liable for any loss or damages which the Purchaser may sustain of such failure on the part of the Contractor.

In case of failure to deliver the goods shall have arisen from war, insurrection, restraint imposed by Government Act of Legislation or other authority, accident, strike, riot, lockout, or unforeseen events beyond human control directly or indirectly interfering with the supplies of stores or from any cause which the purchaser may admit as reasonable ground for an extension of time, the Purchaser will allow such additional time he considers reasonable provided that the contractor shall report to the purchaser the occurrence of any cause as aforesaid which will or might affect the performance of the contract within a reasonable time. Requests for extension received after expiry of the delivery schedule will not be entertained.

- 5. **INSPECTION NOTICE:** When inspection during manufacture or before delivery is required, notice in writing shall be sent by the Contractor to the Inspection Officer, when stores are ready for inspection and no stores shall be delivered until the inspection officer has certified that the stores have been approved by him.
- 6. **REMOVAL OF REJECTION:** When any stores delivered to the consignee are rejected at the consignees depot on account of default on the part of the Contractor, they shall be removed by the Contractor within 14 days from the date of intimation of rejection to the

Contractor. In case in which a contract is placed for delivery F.O.R. station of despatch, the rejected stores may be taken back by the supplier either at the consignee depot or at the station from which they were sent. In either of these cases, the Contractor elects to take back the stores at the station of despatch, the goods shall be booked on account and risk of the Contractor.

- 7. **PAYMENT:** Unless otherwise agreed between the purchaser and the contractor, the payment of materials will be made as detailed in the order.
- 8. The Administration reserves the right to accept plus or minus 10% of the quantities ordered.
- 9. The Administration reserves the right to accept/reject in part or in whole the tender without assigning any reason whatsoever.

#### **Contractors Signature**

**NOTE:** The above format should be attached to your offer duly signed and stamped failing which your offer will be considered as incomplete and liable for rejection. Further, ensure that every page is signed and stamped.



#### **TENDER FORM**

| To, The Materials Manager Mormugao Port Trust, 2nd Floor, A.O. Bldg., Headland, Sada, Mormugao, Goa - 403 804.   |
|--|
| I/we do hereby tender to supply and deliver to the Materials Manager of the description and quantity at the prices and in the manner detailed in the conditions of contract  |
| I/We agree if my/our tender if accepted in whole or in part to execute within 14 days of communication to me/us of such acceptance and agreement for the supply of such quantity as the Materials Manager may accept. I/we agree that our stamps, court fees and legal costs for the execution of the Agreement shall be borne by me/us.                                     |
| I/We further agree, that if my/our tender is accepted to effect within 14 days of such acceptance a deposit with the Financial Advisor and Chief Account Officer, Mormugao Port Trust, Headland Sada, Mormugao, Goa (in cash, by Demand Draft or in the form of Bank Guarantee from any scheduled Bank) equal to 5% of the Materials for which the tender has been accepted. |
| I/We further agree if I/We shall decline to execute an agreement within 14 days of intimation to that effect, my/our tender may not be accepted and my/our tender deposit may be forfeited to the administration   |
|  |
| Signature of the Contractor  |
| Name:  |
| Address:   |
|  |

<u>REMARKS</u>: Kindly submit this form duly signed and stamped else your offer is liable to be rejected.

Witness: 1.

#### LIST OF ITEMS

| Sr No  | Description of Material                     | Brand/make            | Unit | Qty |  |
|--------|---|-----------------------|------|-----|--|
| NS. 1  | Pipe, PVC, 15mm dia., in lenght of 3m.      | Astral/Prince/Finolex | m    | 60  |  |
| NS. 2  | Pipe, PVC, 20mm dia., in lenght of 3m.      | Astral/Prince/Finolex | m    | 30  |  |
| NS. 3  | Pipe, PVC, 25mm dia., in lenght of 3m.      | Astral/Prince/Finolex | m    | 99  |  |
| NS. 4  | Elbow, PVC, 15mm (1/2")                     | Astral/Prince/Finolex | No   | 100 |  |
| NS. 5  | Elbow, PVC, 20mm (3/4")                     | Astral/Prince/Finolex | No   | 30  |  |
| NS. 6  | Elbow, PVC, 25mm (1")                       | Astral/Prince/Finolex | No   | 100 |  |
| NS. 7  | Socket, equal, PVC, 15mm (1/2")             | Astral/Prince/Finolex | No   | 100 |  |
| NS. 8  | Socket, equal, PVC, 20mm ( 3/4")            | Astral/Prince/Finolex | No   | 20  |  |
| NS. 9  | Socket, equal, PVC, 25mm (1")               | Astral/Prince/Finolex | No   | 120 |  |
| NS. 10 | Union, PVC, 15mm (1/2")                     | Astral/Prince/Finolex | No   | 50  |  |
| NS. 11 | Union, PVC, 20mm (3/4")                     | Astral/Prince/Finolex | No   | 20  |  |
| NS. 12 | Union, PVC, 25mm (1")                       | Astral/Prince/Finolex | No   | 50  |  |
| NS. 13 | MTA, PVC, 15mm (1/2")                       | Astral/Prince/Finolex | No   | 150 |  |
| NS. 14 | MTA, PVC, 20mm (3/4")                       | Astral/Prince/Finolex | No   | 40  |  |
| NS. 15 | MTA, PVC, 25mm ( 1")                        | Astral/Prince/Finolex | No   | 150 |  |
| NS. 16 | FTA, PVC, 15mm (1/2")                       | Astral/Prince/Finolex | No   | 150 |  |
| NS. 17 | FTA, PVC, 20mm (3/4")                       | Astral/Prince/Finolex | No   | 30  |  |
| NS. 18 | FTA, PVC, 25mm (1")                         | Astral/Prince/Finolex | No   | 150 |  |
| NS. 19 | Tee, equal, PVC, 15mm (1/2")                | Astral/Prince/Finolex | No   | 100 |  |
| NS. 20 | Tee, equal, PVC, 20mm (3/4")                | Astral/Prince/Finolex | No   | 30  |  |
| NS. 21 | Tee, equal, PVC, 25mm (1")                  | Astral/Prince/Finolex | No   | 100 |  |
| NS. 22 | Tee, reducing in the branch, PVC, 20 x 15mm | Astral/Prince/Finolex | No   | 20  |  |

| NS 23   Tee, reducing in the branch, PVC, 25 x 15mm   Astral/Prince/Finolex   No   20   |        |  |                       |      |     |
|---|--------|--|-----------------------|------|-----|
| NS. 25   Tee, reducing in the branch, PVC, 32 x 25mm  | NS. 23 | Tee, reducing in the branch, PVC, 25 x 15mm  | Astral/Prince/Finolex | No   | 20  |
| NS. 26         Socket, reducing, PVC, 20 x 15mm         Astral/Prince/Finolex         No         50           NS. 27         Socket, reducing, PVC, 25 x 15mm         Astral/Prince/Finolex         No         20           NS. 28         Socket, reducing, PVC, 25 x 20mm         Astral/Prince/Finolex         No         50           NS. 29         Socket, reducing, PVC, 25 x 15mm         Astral/Prince/Finolex         No         20           NS. 30         Bush, reducing, PVC, 25 x 15mm         Astral/Prince/Finolex         No         20           NS. 31         Bush, reducing, PVC, 25X20MM         Astral/Prince/Finolex         No         20           NS. 32         End cap, PVC, 15mm (1/2)         Astral/Prince/Finolex         No         50           NS. 33         End cap, PVC, 20mm (3/4")         Astral/Prince/Finolex         No         50           NS. 34         End cap, PVC, 25mm (1")         Astral/Prince/Finolex         No         30           NS. 35         Plug, PVC, 15mm (1/2")         Astral/Prince/Finolex         No         30           NS. 36         Plug, PVC, 25mm (1")         Astral/Prince/Finolex         No         10           NS. 37         Plug, PVC, 25mm (1")         Astral/Prince/Finolex         No         10           NS. 38 <td< td=""><td>NS. 24</td><td>Tee, reducing in the branch, PVC, 25 x 20mm</td><td>Astral/Prince/Finolex</td><td>No</td><td>20</td></td<> | NS. 24 | Tee, reducing in the branch, PVC, 25 x 20mm  | Astral/Prince/Finolex | No   | 20  |
| NS. 27   Socket, reducing, PVC, 25 x 15mm   Astral/Prince/Finolex   No   20   | NS. 25 | Tee, reducing in the branch, PVC, 32 x 25mm  | Astral/Prince/Finolex | No   | 20  |
| NS. 28         Socket, reducing, PVC, 25 x 20mm         Astral/Prince/Finolex         No         50           NS. 29         Socket, reducing, PVC, 32 x 25mm         Astral/Prince/Finolex         No         20           NS. 30         Bush, reducing, PVC, 25 x 15mm         Astral/Prince/Finolex         No         20           NS. 31         Bush, reducing, PVC, 25X20MM         Astral/Prince/Finolex         No         20           NS. 32         End cap, PVC, 15mm (1/2")         Astral/Prince/Finolex         No         50           NS. 33         End cap, PVC, 20mm (3/4")         Astral/Prince/Finolex         No         50           NS. 34         End cap, PVC, 25mm (1")         Astral/Prince/Finolex         No         50           NS. 35         Plug, PVC, 25mm (1/2")         Astral/Prince/Finolex         No         30           NS. 36         Plug, PVC, 25mm (1/2")         Astral/Prince/Finolex         No         10           NS. 37         Plug, PVC, 25mm (1")         Astral/Prince/Finolex         No         10           NS. 38         Handle, for PVC flush tank.         Parryware/Master         No         10           NS. 39         Syphon washer, PVC         No         80           NS. 40         Tank connector, for PVC tank         No   | NS. 26 | Socket, reducing, PVC, 20 x 15mm   | Astral/Prince/Finolex | No   | 50  |
| NS. 29   Socket, reducing, PVC, 32 x 25mm   Astral/Prince/Finolex   No   20   | NS. 27 | Socket, reducing, PVC, 25 x 15mm   | Astral/Prince/Finolex | No   | 20  |
| NS. 30   Bush, reducing, PVC, 25 x 15mm   Astral/Prince/Finolex   No   20   | NS. 28 | Socket, reducing, PVC, 25 x 20mm   | Astral/Prince/Finolex | No   | 50  |
| NS. 31 Bush, reducing, PVC, 25X20MM  NS. 32 End cap, PVC, 15mm (1/2")  NS. 33 End cap, PVC, 20mm (3/4")  NS. 34 End cap, PVC, 25mm (1")  NS. 35 Plug, PVC, 25mm (1")  NS. 36 Plug, PVC, 15mm (1/2")  NS. 37 Plug, PVC, 20mm (3/4")  NS. 38 Handle, for PVC flush tank.  NS. 39 Syphon washer, PVC  NS. 39 Syphon washer, PVC  NS. 30 Tank connector, for PVC tank.  NS. 40 Tank connector, for PVC tank.  NS. 41 Float valve with ball, PVC, for flush tank, 15mm, heavy duty.  NS. 42 Ball valve, G.M., screwed male end with backnut and washer, horizontal plunger type with low pressure pnominal bore.  NS. 43 Seat & cover, white, for european type W.C., plastic with C.P brass hinges & rubber buffers, as per 1S: 2548/type 2A with ISI mark.  NS. 45 Ball valve, PVC, 15mm (1/2"), heavy duty.  NS. 46 Ball valve, PVC, 20mm (3/4"), heavy duty.  NS. 47 Ball valve, PVC, 25mm (1")  NS. 48 Ball valve, PVC, 20mm (3/4"), heavy duty.  NS. 49 Ball valve, PVC, 20mm (3/4"), heavy duty.  NS. 40 Ball valve, PVC, 25mm (1"), heavy duty.  NS. 46 Ball valve, PVC, 25mm (1"), heavy duty.  NS. 47 Ball valve, PVC, 25mm (1"), heavy duty.  NS. 48 Ball valve, PVC, 25mm (1"), heavy duty.  NS. 49 Ball valve, PVC, 25mm (1"), heavy duty.  NS. 40 Ball valve, PVC, 25mm (1"), heavy duty.  NS. 41 Ball valve, PVC, 25mm (1"), heavy duty.  | NS. 29 | Socket, reducing, PVC, 32 x 25mm   | Astral/Prince/Finolex | No   | 20  |
| NS. 32         End cap, PVC, 15mm (1/2")         Astral/Prince/Finolex         No         50           NS. 33         End cap, PVC, 20mm (3/4")         Astral/Prince/Finolex         No         20           NS. 34         End cap, PVC, 25mm (1")         Astral/Prince/Finolex         No         50           NS. 35         Plug, PVC, 15mm (1/2")         Astral/Prince/Finolex         No         30           NS. 36         Plug, PVC, 20mm (3/4")         Astral/Prince/Finolex         No         10           NS. 37         Plug, PVC, 25mm (1")         Astral/Prince/Finolex         No         20           NS. 38         Handle, for PVC flush tank.         Parryware/Master         No         100           NS. 39         Syphon washer, PVC         No         80         No         20           NS. 40         Tank connector, for PVC tank.         No         20         No         100           NS. 41         Float valve with ball, PVC, for flush tank, 15mm, heavy duty.         No         100         100           NS. 42         Ball valve, G.M., screwed male end with backnut and saher, horizontal plunger type with low pressure polythene floats, for pipes of medium class 25mm nominal bore.         Parryware/Cera         No         50           NS. 43         Seat & cover, white, for curopean type W.C., plas  | NS. 30 | Bush, reducing, PVC, 25 x 15mm   | Astral/Prince/Finolex | No   | 20  |
| NS. 33 End cap, PVC, 20mm (3/4")  NS. 34 End cap, PVC, 25mm (1")  NS. 35 Plug, PVC, 15mm (1/2")  NS. 36 Plug, PVC, 25mm (1")  NS. 36 Plug, PVC, 20mm (3/4")  NS. 37 Plug, PVC, 25mm (1")  NS. 38 Handle, for PVC flush tank.  NS. 38 Handle, for PVC flush tank.  Parryware/Master  NO 100  NS. 39 Syphon washer, PVC  NO 80  NS. 40 Tank connector, for PVC tank.  NS. 41 Float valve with ball, PVC, for flush tank, 15mm, heavy duty.  NS. 42 Ball valve, G.M., screwed male end with backnut and washer, horizontal plunger type with low pressure polythene floats, for pipes of medium class 25mm nominal bore.  NS. 43 Seat & cover, white, for european type W.C., plastic with C.P brass hinges & rubber buffers, as per IS: 2548/type 2A with ISI mark.  NS. 44 Hinges, set, brass, for EWC PVC seat cover.  Parryware/Cera  PAIR 30  NS. 45 Ball valve, PVC, 25mm (1/2"), heavy duty.  No 100  NS. 46 Ball valve, PVC, 25mm (1/2), heavy duty.  No 100  No 100  No 100  No 20  No 100  | NS. 31 | Bush, reducing, PVC, 25X20MM   | Astral/Prince/Finolex | No   | 20  |
| NS. 34 End cap, PVC, 25mm (1")  NS. 35 Plug, PVC, 15mm (1/2")  NS. 36 Plug, PVC, 20mm (3/4")  NS. 37 Plug, PVC, 25mm (1")  NS. 38 Handle, for PVC flush tank.  NS. 39 Syphon washer, PVC  NS. 39 Syphon washer, PVC  NS. 40 Tank connector, for PVC tank.  NS. 41 Float valve with ball, PVC, for flush tank, 15mm, heavy duty.  NS. 42 Ball valve, G.M., screwed male end with backnut and washer, horizontal plunger type with low pressure polythene floats, for pipes of medium class 25mm nominal bore.  NS. 43 Seat & cover, white, for european type W.C., plastic with C.P brass hinges & rubber buffers, as per IS: 2548/type 2A with ISI mark.  NS. 44 Hinges, set, brass, for EWC PVC seat cover.  Parryware/Cera  PAIR 30  NS. 45 Ball valve, PVC, 15mm (1/2"), heavy duty.  NO 20  NS. 46 Ball valve, PVC, 25mm (1"), heavy duty.  NO 100  NS. 47 Ball valve, PVC, 25mm (1"), heavy duty.  | NS. 32 | End cap, PVC, 15mm (1/2")  | Astral/Prince/Finolex | No   | 50  |
| NS. 35 Plug, PVC, 15mm (1/2")  NS. 36 Plug, PVC, 20mm (3/4")  NS. 37 Plug, PVC, 25mm (1")  NS. 37 Plug, PVC, 25mm (1")  Astral/Prince/Finolex  No 10  NS. 38 Handle, for PVC flush tank.  Parryware/Master  No 100  NS. 39 Syphon washer, PVC  No 80  NS. 40 Tank connector, for PVC tank.  No 20  NS. 41 Float valve with ball, PVC, for flush tank, 15mm, heavy duty.  NS. 42 Ball valve, G.M., screwed male end with backnut and washer, horizontal plunger type with low pressure polythene floats, for pipes of medium class 25mm nominal bore.  NS. 43 Seat & cover, white, for european type W.C., plastic with C.P brass hinges & rubber buffers, as per IS: 2548/type 2A with ISI mark.  NS. 44 Hinges, set, brass, for EWC PVC seat cover.  Parryware/Cera  Pali 30  NS. 45 Ball valve, PVC, 15mm (1/2"), heavy duty.  No 100  NS. 46 Ball valve, PVC, 20mm (3/4"), heavy duty.  No 100  No 100   | NS. 33 | End cap, PVC, 20mm (3/4")  | Astral/Prince/Finolex | No   | 20  |
| NS. 36 Plug, PVC, 20mm (3/4")  NS. 37 Plug, PVC, 25mm (1")  Astral/Prince/Finolex  No 20  NS. 38 Handle, for PVC flush tank.  Parryware/Master  No 100  NS. 39 Syphon washer, PVC  No 80  NS. 40 Tank connector, for PVC tank.  No 20  NS. 41 Float valve with ball, PVC, for flush tank, 15mm, heavy duty.  NS. 42 Ball valve, G.M., screwed male end with backnut and washer, horizontal plunger type with low pressure polythene floats, for pipes of medium class 25mm nominal bore.  NS. 43 Seat & cover, white, for european type W.C., plastic with C.P brass hinges & rubber buffers, as per IS: 2548/type 2A with ISI mark.  NS. 44 Hinges, set, brass, for EWC PVC seat cover.  Parryware/Cera  Parryware/Cera  PAIR 30  NS. 45 Ball valve, PVC, 15mm (1/2"), heavy duty.  No 20  NS. 47 Ball valve, PVC, 25mm (1"), heavy duty.  | NS. 34 | End cap, PVC, 25mm ( 1")   | Astral/Prince/Finolex | No   | 50  |
| NS. 37 Plug, PVC, 25mm (1")  NS. 38 Handle, for PVC flush tank.  Parryware/Master  No 100  NS. 39 Syphon washer, PVC  No 80  NS. 40 Tank connector, for PVC tank.  No 20  NS. 41 Float valve with ball, PVC, for flush tank, 15mm, heavy duty.  NS. 42 Ball valve, G.M., screwed male end with backnut and washer, horizontal plunger type with low pressure polythene floats, for pipes of medium class 25mm nominal bore.  NS. 43 Seat & cover, white, for european type W.C., plastic with C.P brass hinges & rubber buffers, as per IS: 2548/type 2A with ISI mark.  NS. 44 Hinges, set, brass, for EWC PVC seat cover.  Parryware/Cera  PAIR 30  NS. 45 Ball valve, PVC, 15mm (1/2"), heavy duty.  No 100  NS. 46 Ball valve, PVC, 20mm (3/4"), heavy duty.  No 100  NS. 47 Ball valve, PVC, 25mm (1"), heavy duty.  | NS. 35 | Plug, PVC, 15mm ( 1/2")  | Astral/Prince/Finolex | No   | 30  |
| NS. 38 Handle, for PVC flush tank.  Parryware/Master  No 100  NS. 39 Syphon washer, PVC  No 80  NS. 40 Tank connector, for PVC tank.  No 20  NS. 41 Float valve with ball, PVC, for flush tank, 15mm, heavy duty.  NS. 42 Ball valve, G.M., screwed male end with backnut and washer, horizontal plunger type with low pressure polythene floats, for pipes of medium class 25mm nominal bore.  NS. 43 Seat & cover, white, for european type W.C., plastic with C.P brass hinges & rubber buffers, as per IS: 2548/type 2A with ISI mark.  NS. 44 Hinges, set, brass, for EWC PVC seat cover.  Parryware/Cera  PAIR 30  NS. 45 Ball valve, PVC, 15mm (1/2"), heavy duty.  No 100  NS. 46 Ball valve, PVC, 20mm (3/4"), heavy duty.  No 100   | NS. 36 | Plug, PVC, 20mm (3/4")   | Astral/Prince/Finolex | No   | 10  |
| NS. 39 Syphon washer, PVC  NS. 40 Tank connector, for PVC tank.  No 20  NS. 41 Float valve with ball, PVC, for flush tank, 15mm, heavy duty.  NS. 42 Ball valve, G.M., screwed male end with backnut and washer, horizontal plunger type with low pressure polythene floats, for pipes of medium class 25mm nominal bore.  NS. 43 Seat & cover, white, for european type W.C., plastic with C.P brass hinges & rubber buffers, as per IS: 2548/type 2A with ISI mark.  NS. 44 Hinges, set, brass, for EWC PVC seat cover.  Parryware/Cera  PAIR 30  NS. 45 Ball valve, PVC, 15mm (1/2"), heavy duty.  No 100  NS. 46 Ball valve, PVC, 20mm (3/4"), heavy duty.  No 100  NS. 47 Ball valve, PVC, 25mm (1"), heavy duty.  | NS. 37 | Plug, PVC, 25mm (1")   | Astral/Prince/Finolex | No   | 20  |
| NS. 40 Tank connector, for PVC tank.  No 20  NS. 41 Float valve with ball, PVC, for flush tank, 15mm, heavy duty.  NS. 42 Ball valve, G.M., screwed male end with backnut and washer, horizontal plunger type with low pressure polythene floats, for pipes of medium class 25mm nominal bore.  NS. 43 Seat & cover, white, for european type W.C., plastic with C.P brass hinges & rubber buffers, as per IS: 2548/type 2A with ISI mark.  NS. 44 Hinges, set, brass, for EWC PVC seat cover.  Parryware/Cera  PAIR 30  NS. 45 Ball valve, PVC, 15mm (1/2"), heavy duty.  No 100  NS. 46 Ball valve, PVC, 20mm (3/4"), heavy duty.  No 100   | NS. 38 | Handle, for PVC flush tank.  | Parryware/Master      | No   | 100 |
| NS. 41 Float valve with ball, PVC, for flush tank, 15mm, heavy duty.  NS. 42 Ball valve, G.M., screwed male end with backnut and washer, horizontal plunger type with low pressure polythene floats, for pipes of medium class 25mm nominal bore.  NS. 43 Seat & cover, white, for european type W.C., plastic with C.P brass hinges & rubber buffers, as per IS: 2548/type 2A with ISI mark.  NS. 44 Hinges, set, brass, for EWC PVC seat cover.  Parryware/Cera  PAIR 30  NS. 45 Ball valve, PVC, 15mm (1/2"), heavy duty.  No 100  NS. 46 Ball valve, PVC, 20mm (3/4"), heavy duty.  No 20  NS. 47 Ball valve, PVC, 25mm (1"), heavy duty.   | NS. 39 | Syphon washer, PVC   |                       | No   | 80  |
| duty.  NS. 42 Ball valve, G.M., screwed male end with backnut and washer, horizontal plunger type with low pressure polythene floats, for pipes of medium class 25mm nominal bore.  NS. 43 Seat & cover, white, for european type W.C., plastic with C.P brass hinges & rubber buffers, as per IS: 2548/type 2A with ISI mark.  NS. 44 Hinges, set, brass, for EWC PVC seat cover.  Parryware/Cera  PAIR 30  NS. 45 Ball valve, PVC, 15mm (1/2"), heavy duty.  No 100  NS. 46 Ball valve, PVC, 20mm (3/4"), heavy duty.  No 20  NS. 47 Ball valve, PVC, 25mm (1"), heavy duty.  | NS. 40 | Tank connector, for PVC tank.  |                       | No   | 20  |
| washer, horizontal plunger type with low pressure polythene floats, for pipes of medium class 25mm nominal bore.  NS. 43 Seat & cover, white, for european type W.C., plastic with C.P brass hinges & rubber buffers, as per IS: 2548/type 2A with ISI mark.  NS. 44 Hinges, set, brass, for EWC PVC seat cover.  Parryware/Cera  PAIR 30  NS. 45 Ball valve, PVC, 15mm (1/2"), heavy duty.  No 100  NS. 46 Ball valve, PVC, 20mm (3/4"), heavy duty.  No 100  NS. 47 Ball valve, PVC, 25mm (1"), heavy duty.   |        | duty.  |                       |      |     |
| C.P brass hinges & rubber buffers, as per IS: 2548/type 2A with ISI mark.  NS. 44 Hinges, set, brass, for EWC PVC seat cover.  Parryware/Cera  PAIR 30  NS. 45 Ball valve, PVC, 15mm (1/2"), heavy duty.  No 100  NS. 46 Ball valve, PVC, 20mm (3/4"), heavy duty.  No 20  NS. 47 Ball valve, PVC, 25mm (1"), heavy duty.  No 100   | NS. 42 | washer, horizontal plunger type with low pressure polythene floats, for pipes of medium class 25mm | Onida                 | No   | 50  |
| NS. 45       Ball valve, PVC, 15mm (1/2"), heavy duty.       No       100         NS. 46       Ball valve, PVC, 20mm (3/4"), heavy duty.       No       20         NS. 47       Ball valve, PVC, 25mm (1"), heavy duty.       No       100  | NS. 43 | C.P brass hinges & rubber buffers, as per IS: 2548/type  | Parryware/Cera        | No   | 30  |
| NS. 46       Ball valve, PVC, 20mm (3/4"), heavy duty.       No       20         NS. 47       Ball valve, PVC, 25mm (1"), heavy duty.       No       100  | NS. 44 | Hinges, set, brass, for EWC PVC seat cover.  | Parryware/Cera        | PAIR | 30  |
| NS. 47 Ball valve, PVC, 25mm (1"), heavy duty.  No 100  | NS. 45 | Ball valve, PVC, 15mm (1/2"), heavy duty.  |                       | No   | 100 |
|   | NS. 46 | Ball valve, PVC, 20mm (3/4"), heavy duty.  |                       | No   | 20  |
| NS. 48 Tape, Teflon (PTFE), 50mm width, 12 m long. No 200   | NS. 47 | Ball valve, PVC, 25mm (1"), heavy duty.  |                       | No   | 100 |
|   | NS. 48 | Tape, Teflon (PTFE), 50mm width, 12 m long.  |                       | No   | 200 |

| NS. 49 | Flush tank, PVC with all parts made of non-corrosive material, 10 litres capacity, high level.   | Parryware/Commander/Master | No   | 100 |
|--------|--|----------------------------|------|-----|
| NS. 50 | Flush tank, PVC with all parts made of non-corrosive material, 10 litres capacity, low level.  | Parryware/commander/Master | No   | 150 |
| NS. 51 | Blade, hacksaw, H.S.S., of size 24"x1.1/2"x6TPIx12G.   | Miranda/IT                 | No   | 50  |
| NS. 52 | Nut & bolt, suitable fo wash basin fixing.   | Onida                      | PAIR | 50  |
| NS. 53 | Health faucet, with stop cock, brass, grade b chromium plated, screwed down end, long screw shank ,capstan head, 15mm, with washers, full set.                           | ARK/MARK/JAQUAR            | No   | 20  |
| NS. 54 | Pillar cock, brass, grade b chromium plated, screwed down end, long screw shank ,capstan head, backnut, as per IS:1795/1968,for pipes of medium class 15mm nominal bore. | ARK/MARK/JAQUAR/SEIKO      | No   | 100 |
| NS. 55 | Bibcock, brass, CP, screw down male end, crutch head, as per IS:781/1967, min.wt.1.25kgs, 15mm.  | ARK/MARK/JAQUAR/SEIKO      | No   | 200 |
| NS. 56 | Stop cock, brass, Gr. B chromium plated, screwed down female end, crutch head, 15mm.   | ARK/MARK/JAQUAR/SEIKO      | No   | 100 |
| NS. 57 | Waste coupling, brass, Gr. B chromium plated, 32mm for wash basin, without air openings.   |                            | No   | 50  |
| NS. 58 | Shower, rose, Gr. B chrome plated brass, with 100mm dia. & 15mm nominal disc inlet, heavy duty.  |                            | No   | 50  |
| NS. 59 | Foot valve, PVC, 50mm dia. (2"), with ISI mark.  |                            | No   | 5   |
| NS. 60 | Foot valve, PVC, 75mm dia. (3"), with ISI mark.  |                            | No   | 5   |
| NS. 61 | Foot valve, brass, 50mm dia., with ISI mark.   |                            | No   | 2   |
| NS. 62 | Clamps, saddle, G.I., 15mm.  |                            | No   | 50  |
| NS. 63 | Clamps, saddle, G.I., 25mm.  |                            | No.  | 50  |
| NS. 64 | Nails, M.S., for use on concrete, 1" long.   |                            | KG   | 5   |
| NS. 65 | Air valve, C.I., 25mm, heavy duty.   |                            | No   | 2   |
| NS. 66 | Valve, C.I., sluice, double flanged, 80mm dia. conf. to IS:780 class I, with ISI mark, with C.I. wheel (handle) for turning.   |                            | No   | 2   |
| NS. 67 | Valve, C.I., sluice, double flanged, 100mm dia. conf. to IS:780 class I, with ISI mark, with C.I. wheel (handle) for turning.  |                            | No   | 2   |
| NS. 68 | Valve, C.I., sluice, double flanged, 150mm dia. conf. to IS:780 class I, with ISI mark, with C.I. wheel (handle) for turning.  |                            | No   | 2   |
| NS. 69 | Valve, G.M., fullway, screwed female end, C.I. wheel, as per IS:778, min. wt. 1.00 kg, for pipes of medium class 25mm nominal bore, with ISI mark.                       |                            | No   | 20  |
| NS. 70 | Valve, G.M., full way screwed female end, with C.I. wheel, as per IS:778, min.wt. 2.4kgs., for pipes of medium class 50mm nominal bore, with ISI mark.                   |                            | No   | 5   |
| NS. 71 | Valve, G.M., full way screwed female end, with C.I. wheel ,as per IS:778,min.wt. 6kgs., for pipes of medium class 80mm nominal bore, with ISI mark.                      |                            | No   | 2   |
| NS. 72 | Valve, butterfly, brass, heavy duty, 15mm.   |                            | No   | 10  |
| NS. 73 | Valve, butterfly, brass, heavy duty, 25mm.   |                            | No   | 5   |
| NS. 74 | Valve, butterfly, brass, heavy duty, 50mm.   |                            | No   | 5   |
| NS. 75 | Pipe, polythene, 15mm dia. 18" long, for wash basin.   | Onida                      | No   | 50  |
| NS. 76 | Pipe, polythene, 15mm dia. 24" long, for wash basin.   | Onida                      | No   | 50  |
| NS. 77 | Pipe, waste, PVC flexible, 32mm.   | Onida                      | No   | 100 |
|        | <u> </u>   | 1                          |      | 1   |

| NS. 78 | Wash basin, white vitrious china, flat back of size 550 x 400mm with one no. standard central tap hole complete with fitting bolts and nuts. | Parryware/Neycer/Hindustan/<br>Cera | No | 50 |
|--------|--|-------------------------------------|----|----|
| NS. 79 | Bibcock, plastic, for pipes of medium class 15mm nominal bore, heavy duty.   |                                     | No | 50 |
| NS. 80 | Bolt, M.S. black, hex head, full threaded, BSW, of size 5/8" dia x 2" long (15.88mm dia x 50.8mm long), conf. to BS:916, with nut.           | GKW/TVS/Balaji/VK                   | KG | 5  |
| NS. 81 | Bolt, M.S. black, hex head, full threaded, BSW, of size 5/8" dia x 2.1/2" long (15.88mm dia x 63.5mm long), conf. to BS:916, with nut.       | GKW/TVS/Balaji/VK                   | KG | 5  |
| NS. 82 | Bolt, M.S. black, hex head, half threaded, BSW, of size 5/8" dia x 4" long (15.88mm dia x 101.6mm long), conf. to BS:916, with nut.          | GKW/TVS/Balaji/VK                   | KG | 5  |



#### **ANNEXURE - B**

#### TENDER NO. MM/NS/CE/ARC/0045 Due on 15.06.2017

#### **PREQUALIFICATION CRITERIA**

The Tenderer should have experience in 'Similar Works during last 7 years ending last day of month previous to the one in which tenders invited should be either of the following:-

a) One similar completed work of contract value not less than Rs.9.04 lakhs

(or)

b) **Two** similar completed works of contract value not less than **Rs.6.78 Lakhs** each

(or)

c) Three similar completed works of contract value not less than Rs.4.52 lakhs each

'SIMILAR' Works – means "Supply of materials for water supply like PVC Elbows, Reducer, Pipes, TEE's etc."

**Please Note:** The Tenderers shall enclose work order copies for similar works and value of work done.

Name, company seal & signature of the tenderer

**NOTE:** <u>Kindly submit the above format duly signed over your office seal along with your offer, else your offer will not be considered.</u>

#### PRICE SCHEDULE-COVER II

| OFFER NO. | DATE: |
|-----------|-------|
|-----------|-------|

#### TENDER NO. MM/NS/CE/ARC/0045 DUE ON: 15.06.2017

| Sr<br>No  | Description of Material                     | Brand/make                | Unit | Qty | Basic<br>(Rs.) | P/F<br>(Rs.) | E.D.<br>(Rs.) | VAT<br>(Rs.) | CST<br>(Rs.) | Frei<br>ght<br>(Rs.) | Insu<br>ranc<br>e<br>(Rs.) | Other<br>s if<br>any<br>(Rs.) | TOTAL |
|-----------|---|---------------------------|------|-----|----------------|--------------|---------------|--------------|--------------|----------------------|----------------------------|-------------------------------|-------|
| NS.       | Pipe, PVC, 15mm dia., in lenght of 3m.      | Astral/Prince<br>/Finolex | m    | 60  |                |              |               |              |              |                      |                            |                               |       |
| NS.       | Pipe, PVC, 20mm dia., in lenght of 3m.      | Astral/Prince<br>/Finolex | m    | 30  |                |              |               |              |              |                      |                            |                               |       |
| NS.       | Pipe, PVC, 25mm dia., in lenght of 3m.      | Astral/Prince<br>/Finolex | m    | 99  |                |              |               |              |              |                      |                            |                               |       |
| NS.       | Elbow, PVC, 15mm (1/2")                     | Astral/Prince<br>/Finolex | No   | 100 |                |              |               |              |              |                      |                            |                               |       |
| NS.<br>5  | Elbow, PVC, 20mm (3/4")                     | Astral/Prince<br>/Finolex | No   | 30  |                |              |               |              |              |                      |                            |                               |       |
| NS.       | Elbow, PVC, 25mm (1")                       | Astral/Prince<br>/Finolex | No   | 100 |                |              |               |              |              |                      |                            |                               |       |
| NS.       | Socket, equal, PVC, 15mm (1/2")             | Astral/Prince<br>/Finolex | No   | 100 |                |              |               |              |              |                      |                            |                               |       |
| NS.<br>8  | Socket, equal, PVC, 20mm (3/4")             | Astral/Prince<br>/Finolex | No   | 20  |                |              |               |              |              |                      |                            |                               |       |
| NS.       | Socket, equal, PVC, 25mm (1")               | Astral/Prince<br>/Finolex | No   | 120 |                |              |               |              |              |                      |                            |                               |       |
| NS.<br>10 | Union, PVC, 15mm (1/2")                     | Astral/Prince<br>/Finolex | No   | 50  |                |              |               |              |              |                      |                            |                               |       |
| NS.<br>11 | Union, PVC, 20mm (3/4")                     | Astral/Prince<br>/Finolex | No   | 20  |                |              |               |              |              |                      |                            |                               |       |
| NS.<br>12 | Union, PVC, 25mm (1")                       | Astral/Prince<br>/Finolex | No   | 50  |                |              |               |              |              |                      |                            |                               |       |
| NS.<br>13 | MTA, PVC, 15mm (1/2")                       | Astral/Prince<br>/Finolex | No   | 150 |                |              |               |              |              |                      |                            |                               |       |
| NS.<br>14 | MTA, PVC, 20mm (3/4")                       | Astral/Prince<br>/Finolex | No   | 40  |                |              |               |              |              |                      |                            |                               |       |
| NS.<br>15 | MTA, PVC, 25mm ( 1")                        | Astral/Prince<br>/Finolex | No   | 150 |                |              |               |              |              |                      |                            |                               |       |
| NS.<br>16 | FTA, PVC, 15mm (1/2")                       | Astral/Prince<br>/Finolex | No   | 150 |                |              |               |              |              |                      |                            |                               |       |
| NS.<br>17 | FTA, PVC, 20mm (3/4")                       | Astral/Prince<br>/Finolex | No   | 30  |                |              |               |              |              |                      |                            |                               |       |
| NS.<br>18 | FTA, PVC, 25mm (1")                         | Astral/Prince<br>/Finolex | No   | 150 |                |              |               |              |              |                      |                            |                               |       |
| NS.<br>19 | Tee, equal, PVC, 15mm (1/2")                | Astral/Prince<br>/Finolex | No   | 100 |                |              |               |              |              |                      |                            |                               |       |
| NS.<br>20 | Tee, equal, PVC, 20mm (3/4")                | Astral/Prince<br>/Finolex | No   | 30  |                |              |               |              |              |                      |                            |                               |       |
| NS.<br>21 | Tee, equal, PVC, 25mm (1")                  | Astral/Prince<br>/Finolex | No   | 100 |                |              |               |              |              |                      |                            |                               |       |
| NS.<br>22 | Tee, reducing in the branch, PVC, 20 x 15mm | Astral/Prince<br>/Finolex | No   | 20  |                |              |               |              |              |                      |                            |                               |       |
| NS.<br>23 | Tee, reducing in the branch, PVC, 25 x 15mm | Astral/Prince<br>/Finolex | No   | 20  |                |              |               |              |              |                      |                            |                               |       |
| NS.<br>24 | Tee, reducing in the branch, PVC, 25 x 20mm | Astral/Prince<br>/Finolex | No   | 20  |                |              |               |              |              |                      |                            |                               |       |

|           |  | 1                                  | 1    | 1   |  | 1 | 1 | ı | ı | 1 | 1 |  |
|-----------|--|------------------------------------|------|-----|--|---|---|---|---|---|---|--|
| NS.<br>25 | Tee, reducing in the branch, PVC, 32 x 25mm  | Astral/Prince<br>/Finolex          | No   | 20  |  |   |   |   |   |   |   |  |
| NS.<br>26 | Socket, reducing, PVC, 20 x 15mm   | Astral/Prince<br>/Finolex          | No   | 50  |  |   |   |   |   |   |   |  |
| NS.<br>27 | Socket, reducing, PVC, 25 x 15mm   | Astral/Prince<br>/Finolex          | No   | 20  |  |   |   |   |   |   |   |  |
| NS.<br>28 | Socket, reducing, PVC, 25 x 20mm   | Astral/Prince<br>/Finolex          | No   | 50  |  |   |   |   |   |   |   |  |
| NS.<br>29 | Socket, reducing, PVC, 32 x 25mm   | Astral/Prince<br>/Finolex          | No   | 20  |  |   |   |   |   |   |   |  |
| NS.<br>30 | Bush, reducing, PVC, 25 x 15mm   | Astral/Prince<br>/Finolex          | No   | 20  |  |   |   |   |   |   |   |  |
| NS.<br>31 | Bush, reducing, PVC,<br>25X20MM  | Astral/Prince<br>/Finolex          | No   | 20  |  |   |   |   |   |   |   |  |
| NS.<br>32 | End cap, PVC, 15mm (1/2")  | Astral/Prince<br>/Finolex          | No   | 50  |  |   |   |   |   |   |   |  |
| NS.<br>33 | End cap, PVC, 20mm (3/4")  | Astral/Prince<br>/Finolex          | No   | 20  |  |   |   |   |   |   |   |  |
| NS.<br>34 | End cap, PVC, 25mm (1")  | Astral/Prince<br>/Finolex          | No   | 50  |  |   |   |   |   |   |   |  |
| NS.<br>35 | Plug, PVC, 15mm (1/2")   | Astral/Prince<br>/Finolex          | No   | 30  |  |   |   |   |   |   |   |  |
| NS.<br>36 | Plug, PVC, 20mm (3/4")   | Astral/Prince<br>/Finolex          | No   | 10  |  |   |   |   |   |   |   |  |
| NS.<br>37 | Plug, PVC, 25mm (1")   | Astral/Prince<br>/Finolex          | No   | 20  |  |   |   |   |   |   |   |  |
| NS.<br>38 | Handle, for PVC flush tank.  | Parryware/<br>Master               | No   | 100 |  |   |   |   |   |   |   |  |
| NS.<br>39 | Syphon washer, PVC   |                                    | No   | 80  |  |   |   |   |   |   |   |  |
| NS.<br>40 | Tank connector, for PVC tank.  |                                    | No   | 20  |  |   |   |   |   |   |   |  |
| NS.<br>41 | Float valve with ball, PVC, for flush tank, 15mm, heavy duty.  |                                    | No   | 100 |  |   |   |   |   |   |   |  |
| NS.<br>42 | Ball valve, G.M., screwed male end with backnut and washer, horizontal plunger type with low pressure polythene floats, for pipes of medium class 25mm nominal bore. | Onida                              | No   | 50  |  |   |   |   |   |   |   |  |
| NS.<br>43 | Seat & cover, white, for<br>european type W.C.,<br>plastic with C.P brass<br>hinges & rubber buffers,<br>as per IS: 2548/type 2A<br>with ISI mark.                   | Parryware/<br>Cera                 | No   | 30  |  |   |   |   |   |   |   |  |
| NS.<br>44 | Hinges, set, brass, for EWC PVC seat cover.  | Parryware/<br>Cera                 | PAIR | 30  |  |   |   |   |   |   |   |  |
| NS.<br>45 | Ball valve, PVC, 15mm (1/2"), heavy duty.  |                                    | No   | 100 |  |   |   |   |   |   |   |  |
| NS.<br>46 | Ball valve, PVC, 20mm (3/4"), heavy duty.  |                                    | No   | 20  |  |   |   |   |   |   |   |  |
| NS.<br>47 | Ball valve, PVC, 25mm (1"), heavy duty.  |                                    | No   | 100 |  |   |   |   |   |   |   |  |
| NS.<br>48 | Tape, Teflon (PTFE),<br>50mm width, 12 m long.   |                                    | No   | 200 |  |   |   |   |   |   |   |  |
| NS.<br>49 | Flush tank, PVC with all parts made of non-corrosive material, 10 litres capacity, high level.   | Parryware/<br>Commander/<br>Master | No   | 100 |  |   |   |   |   |   |   |  |

| NS.<br>50 | Flush tank, PVC with all parts made of non-corrosive material, 10 litres capacity, low level.   | Parryware/<br>Commander/<br>Master | No   | 150 |  |  |  |  |  |
|-----------|---|------------------------------------|------|-----|--|--|--|--|--|
| NS.<br>51 | Blade, hacksaw, H.S.S., of size 24"x1.1/2"x6TPIx12G.  | Miranda/IT                         | No   | 50  |  |  |  |  |  |
| NS.<br>52 | Nut & bolt, suitable fo wash basin fixing.  | Onida                              | PAIR | 50  |  |  |  |  |  |
| NS.<br>53 | Health faucet, with stop<br>cock, brass, grade b<br>chromium plated, screwed<br>down end, long screw<br>shank ,capstan head,<br>15mm, with washers, full<br>set.                              | ARK/MARK/<br>JAQUAR                | No   | 20  |  |  |  |  |  |
| NS.<br>54 | Pillar cock, brass, grade b<br>chromium plated, screwed<br>down end, long screw<br>shank ,capstan head,<br>backnut, as per<br>IS:1795/1968,for pipes of<br>medium class 15mm<br>nominal bore. | ARK/MARK/<br>JAQUAR/<br>SEIKO      | No   | 100 |  |  |  |  |  |
| NS.<br>55 | Bibcock, brass, CP, screw<br>down male end, crutch<br>head, as per IS:781/1967,<br>min.wt.1.25kgs, 15mm.  | ARK/MARK/<br>JAQUAR/<br>SEIKO      | No   | 200 |  |  |  |  |  |
| NS.<br>56 | Stop cock, brass, Gr. B chromium plated, screwed down female end, crutch head, 15mm.  | ARK/MARK/<br>JAQUAR/<br>SEIKO      | No   | 100 |  |  |  |  |  |
| NS.<br>57 | Waste coupling, brass, Gr. B chromium plated, 32mm for wash basin, without air openings.  |                                    | No   | 50  |  |  |  |  |  |
| NS.<br>58 | Shower, rose, Gr. B<br>chrome plated brass, with<br>100mm dia. & 15mm<br>nominal disc inlet, heavy<br>duty.   |                                    | No   | 50  |  |  |  |  |  |
| NS.<br>59 | Foot valve, PVC, 50mm dia. (2"), with ISI mark.   |                                    | No   | 5   |  |  |  |  |  |
| NS.<br>60 | Foot valve, PVC, 75mm dia. (3"), with ISI mark.   |                                    | No   | 5   |  |  |  |  |  |
| NS.<br>61 | Foot valve, brass, 50mm dia., with ISI mark.  |                                    | No   | 2   |  |  |  |  |  |
| NS.<br>62 | Clamps, saddle, G.I.,<br>15mm.  |                                    | No   | 50  |  |  |  |  |  |
| NS.<br>63 | Clamps, saddle, G.I.,<br>25mm.  |                                    | No.  | 50  |  |  |  |  |  |
| NS.<br>64 | Nails, M.S., for use on concrete, 1" long.  |                                    | KG   | 5   |  |  |  |  |  |
| NS.<br>65 | Air valve, C.I., 25mm, heavy duty.  |                                    | No   | 2   |  |  |  |  |  |
| NS.<br>66 | Valve, C.I., sluice, double<br>flanged, 80mm dia. conf.<br>to IS:780 class I, with ISI<br>mark, with C.I. wheel<br>(handle) for turning.  |                                    | No   | 2   |  |  |  |  |  |

| NS.<br>67 | Valve, C.I., sluice, double<br>flanged, 100mm dia. conf.<br>to IS:780 class I, with ISI<br>mark, with C.I. wheel<br>(handle) for turning.                                |   | No | 2   |      |      |      |  |  |
|-----------|--|---|----|-----|------|------|------|--|--|
| NS.<br>68 | Valve, C.I., sluice, double<br>flanged, 150mm dia. conf.<br>to IS:780 class I, with ISI<br>mark, with C.I. wheel<br>(handle) for turning.                                |   | No | 2   |      |      |      |  |  |
| NS.<br>69 | Valve, G.M., fullway,<br>screwed female end, C.I.<br>wheel, as per IS:778, min.<br>wt. 1.00 kg, for pipes of<br>medium class 25mm<br>nominal bore, with ISI<br>mark.     |   | No | 20  |      |      |      |  |  |
| NS.<br>70 | Valve, G.M., full way<br>screwed female end, with<br>C.I. wheel, as per IS:778,<br>min.wt. 2.4kgs., for pipes<br>of medium class 50mm<br>nominal bore, with ISI<br>mark. |   | No | 5   |      |      |      |  |  |
| NS.<br>71 | Valve, G.M., full way<br>screwed female end, with<br>C.I. wheel ,as per<br>IS:778,min.wt. 6kgs., for<br>pipes of medium class<br>80mm nominal bore, with<br>ISI mark.    |   | No | 2   |      |      |      |  |  |
| NS.<br>72 | Valve, butterfly, brass,<br>heavy duty, 15mm.  |   | No | 10  |      |      |      |  |  |
| NS.<br>73 | Valve, butterfly, brass, heavy duty, 25mm.   |   | No | 5   |      |      |      |  |  |
| NS.<br>74 | Valve, butterfly, brass, heavy duty, 50mm.   |   | No | 5   |      |      |      |  |  |
| NS.<br>75 | Pipe, polythene, 15mm dia. 18" long, for wash basin.   | Onida                                   | No | 50  |      |      |      |  |  |
| NS.<br>76 | Pipe, polythene, 15mm<br>dia. 24" long, for wash<br>basin.   | Onida                                   | No | 50  |      |      |      |  |  |
| NS.<br>77 | Pipe, waste, PVC flexible, 32mm.   | Onida                                   | No | 100 |      |      |      |  |  |
| NS.<br>78 | Wash basin, white vitrious china, flat back of size 550 x 400mm with one no. standard central tap hole complete with fitting bolts and nuts.                             | Parryware/Ne<br>ycer/Hindust<br>an/Cera | No | 50  |      |      |      |  |  |
| NS.<br>79 | Bibcock ,plastic, for pipes<br>of medium class 15mm<br>nominal bore, heavy duty.   |   | No | 50  | <br> | <br> | <br> |  |  |
| NS.<br>80 | Bolt, M.S. black, hex<br>head, full threaded, BSW,<br>of size 5/8" dia x 2" long<br>(15.88mm dia x 50.8mm<br>long), conf. to BS:916,<br>with nut.                        | GKW/TVS/<br>Balaji/VK                   | KG | 5   |      |      |      |  |  |

| NS.<br>81 | Bolt, M.S. black, hex<br>head, full threaded, BSW,<br>of size 5/8" dia x 2.1/2"<br>long (15.88mm dia x<br>63.5mm long), conf. to<br>BS:916, with nut. | GKW/TVS/<br>Balaji/VK | KG | 5 |  |  |  |  |  |
|-----------|---|-----------------------|----|---|--|--|--|--|--|
| NS.<br>82 | Bolt, M.S. black, hex<br>head, half threaded, BSW,<br>of size 5/8" dia x 4" long<br>(15.88mm dia x 101.6mm<br>long), conf. to BS:916,<br>with nut.    | GKW/TVS/<br>Balaji/VK | KG | 5 |  |  |  |  |  |

- 1. The tenderers are requested to fill up the above details in the Price Schedule uploaded.
- 2. Offers not given in above format are liable to be rejected.
- 3. ED-Excise Duty, CST-Central Sales Tax, P/F- Packing & Forwarding, VAT Value Added Tax
- 4. Mention 'NA' if taxes/duties etc. are not applicable.

| Date: |  |
|-------|--|
|       | Name, Signature & Seal of the Tenderer |

#### **DETAILS FOR SUBMISSION BY VENDORS ALONG WITH TENDER.**

A. VENDOR DETAILS OF VENDOR Name of the Organisation Address (in detail) 2. 3. Telephone no. E-mail ID 4. PAN No. 5. Tax Identification No. (TIN) 7. **Service Tax Registration No.** 8. **Service Tax Registration Code** 9. **CST Registration No. Employee Provident Fund** 10. (PPF) 11. Employee State Insurance Scheme (ESIC) Registration No. B. BANK DETAILS OF VENDORS. **Bank Name** 2. **Bank Branch Address (in** detail) **Bank Branch Code** 3. **Bank Account No.** 

5.

6.

7.

**Bank Account Type** 

Recognizer (MICR)

IFSC Code.

**Magnetic Ink Character** 

#### **MORMUGAO PORT TRUST**

#### **ELECTRONIC PAYMENT SYSTEM MANDATE FORM**

#### Sub:- Electronic Payment System Mandate Form.

The details for processing the payment through RTGS as below:-

| Name of the Beneficiary         | MORMUGAO PORT TRUST                    |
|---------------------------------|--|
| Address of Beneficiary with PIN | Administrative Office Building,        |
| Code                            | Headland Sada,                         |
|                                 | GOA - 403804                           |
| PAN Number                      | AAALMO293P                             |
| Name & Mobile Number of         | MILIND DESSAI / 9823082682             |
| responsible person              | milind.desai@mptgoa.com                |
| Name of the Bank and Branch     | STATE BANK OF INDIA, Harbour Branch    |
| Bank Telephone No.              | 0832-2520212                           |
| Address of the Bank             | STATE BANK OF INDIA                    |
|                                 | MORMUGAO HARBOUR,                      |
|                                 | GOA - 403803                           |
| MICR Code of the Bank           | 403002024                              |
| IFSC Code No.                   | SBIN0002164                            |
| Type of Account and Branch Code | Current Account / Branch Code:- 002164 |
| Account number of the Bank      | 10438017048                            |
| Beneficiary E-mail ID           | cashmpt@mptgoa.com                     |