

MORMUGAO PORT TRUST ENGINEERING (CIVIL) DEPARTMENT. QUOTATION NOTICE QUOTATION NO. CE/Q-31/2020

Sealed percentage rate quotations are invited from contractors registered with Engineering (Civil) Department of Mormugao Port Trust for undertaking the Work of "Fixing tyre fenders at Passenger Launch Jetty and miscellaneous repairs"

Cost of quotation : **FREE**

Earnest Money Deposit : Rs. 3100/-

Estimated cost of work : Rs. 1,53,219/- Time limit of completion : 1 (one) month .

The quotation form can be obtained from the office of the Chief Engineer, Mormugao Port Trust, Headland Sada, during office hours from. **02/11/2020 to16/11 /2020, FREE of cost.** Volume I comprising of Instruction to Tenderers, General and Special Conditions, General Specifications etc. of Mormugao Port Trust will be considered as part of Quotation Form.

GST registration for the bidder is mandatory. Bidder has to enclose attested copy of the GST Registration along with the quotation. GST has to be claimed extra as applicable while submitting the bill/bills. Tenderer should comply with all regulations of EPF, ESI, ALC, etc. No bill will be forwarded if the above regulations are not followed.

Quotation shall be accompanied by Earnest Money Deposit of **Rs.3100/-** deposited with FA&CAO Mormugao Port Trust in Cash or enclosed Demand draft. Quotation without Earnest Money Deposit in the stipulated form will not be considered.

The interested firms may alternatively download the Tender Document from the Mormugao Port Trust **web site** https://www.mptgoa.gov.in The downloading of the Tender Documents shall be carried out strictly as provided on website.

No editing, addition/deletion of matter shall be permitted. If such action is observed at any stage, such offer is liable for outright rejection.

A printed set vol-I issued to the contractor contains instructions to the Tenderers, General and Special Conditions of Contract, General specifications forms an integral part of the Tender Documents.

Quotation duly completed should reach the office of the Chief Engineer, Mormugao Port Trust, Headland Sada by **15.00** hours on **16/11/2020**, and they will be opened at **15.30** hours on the same day in the presence of such quoters as may wish to be present.

The Port Trust reserves the right to reject any or all the quotations without assigning any reasons thereof.

CHIEF ENGINEER

Headland Sada.

Date:-



MORMUGAO PORT TRUST ENGINEERING (CIVIL) DEPARTMENT QUOTATION NO. CE/Q -31 / 2020

Name of work: "Fixing tyre fenders at Passenger Launch Jetty and miscellaneous repairs"

APPENDIX – I

Sr.	Particulars	Clause of	Details
No.		G. C.	
1.	Amount of Security Deposit and time		EMD will be retained as Security till the Maintenance period is successfully completed.
2.	Period for commencement from the Chief Engineer's orders to commence.		Within 3 days from receipt of PO or as directed
3.	Contract period		01 (One OMonths
4.	Amount of liquidated damages.		Calculated at 0.5% value of the contract per week of seven days, or part thereof subject to a ceiling of 5% value of the contract.
5.	Free Period of maintenance.		6 months
6.	Percentage of retention from each running account bill		10%.of work done For each running bill.
7.	Limit of Retention Money		10% value of the contract.
8.	Total Security Deposit and Retention Money.		EMD Plus 10% value of the contract recovered from the running bills.
9.	Minimum amount of interim Certificate.		Full amount (First & Final bill only)
10.	Time within which payment to be made after contractor's submission of the bill.		days of submission of undisputed joint measurement recorded bill and in quadruplicate after obtaining signature of JE/EA and AEN/AXEN concerned (2 copies to Head Office) with all supporting documents

SIGNATURE OF THE QUOTER



MORMUGAO PORT TRUST ENGINEERING (CIVIL) DEPARTMENT

QUOTATION NO. CE/Q-31/ 2020

Name of Work: "Fixing tyre fenders at Passenger Launch Jetty and miscellaneous repairs"

ADDITIONAL SPECIAL INSTRUCTIONS

- 1. The work shall be carried without disturbing the operation of Port or other agencies working in the area.
- 2. All materials to be supplied should be in good condition as per the specification. It should be handed over to the engineer-in-charge. It will be issued for carrying out the work as and when required.
- 3. The Plant/machinery/craft and workman shall be insured during the work and receipts of payment made towards premiums shall be submitted to the Chief Engineer.
- 4. Quoters are advised to go through the Schedule of Quantities and Rates and sequence of work before submission of the tender. They are also advised to inspect the structure, ascertain for themselves the nature and the extent of work involved and also obtain all clarifications they may require before filling in the tender.
- 5. Quoters are required to sign with date the Schedule of quantities and Rates and the form of Quotation and fill in all the particulars and details called for therein. Unsigned quotations, without the details called for are liable for rejection.

6. Measurements

The quantities provided for in the Schedule of Quantities and Rates are only approximate and are given to provide a common basis for tendering. The actual quantity may differ from those provided for in the Schedule in view of the complexity of the work. Payments will be made according to the actual quantities of work ordered and carried out, jointly measured by the representative of Chief Engineer and the contractor.

7. Rates and Prices to be inclusive.

The rates entered in the Schedule of Quantities by the contractor shall include the provision of all supporting special equipment, labour of required skill, supervision, materials, erection, overheads and profits, watch and ward, insurance charges, during execution and every incidental and contingent costs and charges, whatsoever, excluding GST if any for compliance with conditions of contract and specification. The GST will be paid extra as applicable which shall be claimed along with the Bill.

8. The specifications are intended to cover the execution of all works, necessary to complete the works, with all materials of accepted standards, as specified in the contract.

9. Method of Measurement

General

Unless stated or billed otherwise, all quantities shall be `net` as they finished and provided in the work. The rates and prices shall include all allowances towards wastage of materials required for use in the work.

- 10. The quoters will be deemed to have ascertained themselves to the extent and nature of the works involved, the various constraints and high degree of skill involved in the work.
- 11. Contractor shall erect temporary shed at his own cost to cover the open well from top using tarpaulin/or any other material to prevent rain water directly falling inside the well while execution of the work with necessary gap at top of the well for ventilation purpose.
 - 11. Time is the essence of contract and the entire work should be completed within a period of 1 (One) Months as specified in the schedule. The Quoter shall also submit detailed programme for the timely completion of work giving details of gangs/labour/material supply/plant and machinery etc. taking into account the limited time schedule provided.
- 12. The Contractor's supervisory staff shall be fully experienced in the type of work to be carried out under their supervision.
- 13. The contractor shall insure plant, machinery and workers employed by him during execution of work and submit necessary insurance policies to the Department.
- 14. If the work has to be carried out beyond normal working hours and during night time approval in advance for the working has to be obtained from the Chief Engineer.

- 15. It shall be specifically noted that the contractor is expected to mobilize the required equipments and work force required to complete the entire work included in the contract well within the stipulated period.
- 16. As a statutory requirement, the contractor shall take all measures of safety against fire hazard and electrocution at site as follows:-
- a) All temporary electric supply connections will be carried out with correct sizes of wires/cables and fuses and other safety devices as required under Electricity Rules in consultation with us.
- b) One bucket full of water and sand shall be kept at the work spot. A Portable fire extinguisher shall also be kept at the work spot.
- 17. Quotations with conditions will be out rightly rejected.
- 18. The Quoter shall inspect the site and fully study the work involved visà-vis the quantity and specifications etc. before quoting for the work.
- 19. Any damage to the property of Port should be made good or compensated by the contractor.
- 20. After completion of day's work/contract period the contractor shall clean, clear the work site to the satisfaction of the Chief Engineer or his site representative.
- 21. The instruction given by the officer in charge shall have to be carried out promptly. In case of any difference of opinion or interpretation on the specification and conditions, the matter to be referred to the Chief Engineer concerned, for the decision, which shall be final and binding.
- 22. Permission for working beyond the normal working hours of Port or on Sundays and Public Holidays as stipulated under clause No. 42 of General Conditions of Contract, (in the printed booklet) in volume-I of the tender document will be given to the contractor.
- 23. The contractor and his workers /agents shall be required to obtain from MPT and display a Photo Identity Card during entry, stay and exit from the Port Security areas guarded by CISF personnel`
- 24. All applications for issuance of Photo Identity Card shall be routed through the Chief Engineer, who shall forward the same to the Port's Traffic Department, whose pass section will issue the Photo Identity Card to the contractor or his agent free of cost and the same shall be valid for the duration of the contract or a period of one year, whichever is less.

- 25. All the materials to be used in the structure shall be conforming to relevant ISI specification or as specified in the Tender Schedule Contractor shall undertake laboratory test as specified in the relevant ISI at the discretion of Chief Engineer and only approved materials /approved brand of materials shall be used.
- 26. Water and electricity will be supplied to the contractor free of cost.
- 27. The quoter should comply with all regulations of EPF, ESI etc. No bill will be forwarded if the above regulations are not followed.
- 28. GST registration for the bidder is mandatory. Bidder has to Enclose attested copy of **GST** Registration No along with the Tender. **GST** has to be claimed extra as applicable while Submitting the Bill/bills.
- 29. "The bidder shall quote the price exclusive of GST. Applicable GST shallbe paid on the quoted price. The bidder shall indicate the applicable GST rate on goods/Services in the price bid"
- 30. **a. Security Deposit**: EMD deposited along with the tender will be Converted as Security deposit. The validity of the security deposit such retained will be up to the currency of the contract period .No interest will be allowed on the Security Deposit from the date of its receipt until it is refunded
 - **b. Retention money:** Retention money shall be deducted from reach Running account bill at 10 % of gross value of work done to the Limits of 10 % of contract value.
 - c. Refund of Security deposit and Retention money: S.D and Retention money shall be refunded only after successful Completion of Defect liabilities period (Free Maintenance period) if Applicable.
 - (d) Forfeiture of SD: The security deposit will be forfeited, if the contractor fails to fulfill any or all the conditions of this contract, without any interference from it towards all rights of Board to recover from the contractor any other amounts falling due to the Board through non- observance/ compliance by the contract conditions and any of the clause thereof by the contractor.
- 31 Payment of wages to the workmen to be paid in their respective Bank Account

- 32. The Vendor shall quote GST No. of MPT (30AAALM0293P1ZY) on all invoiced raised on Port. If vendor is not registered under GST or opted for composition scheme under GST, undertaking of the same shall be submitted by the Vendor.
- 33. The successful bidder shall have to furnish HSN /SAC Code for each items of the work.
- 34. Unregistered Venders under GST has to submit Declaration that GST is not applicable to him, due to turnover of less than 40 Lakhs.
- 35. The Vendor shall quote GST No. of MPT (30AAALM0293P1ZY)on all invoiced raised on Port. If vendor is not registered under GST or opted for composition scheme under GST, undertaking of the same shall be submitted by the Vendor.
- 36. The successful bidder shall have to furnish HSN /SAC Code for each items of the work.

Chief Engineer



MORMUGAO PORT TRUST ENGINEERING (CIVIL) DEPARTMENT

QUOTATION NO. CE/Q-31 / 2020

Name of Work: "Fixing tyre fenders at Passenger Launch Jetty and Miscellaneous repairs".

SCOPE OF WORK

The work put to the tender broadly comprises of the following items.

- 1. Providing and fixing 25 mm dia m.s eye hooks. etc
- 2. Providing cement concrete (1:1:2), using 20 mm graded black trap stone, etc.
- 3. Shifting and suspending the tyre fenders in position, including making all accessories etc., works.

CHIEF ENGINEER



MORMUGAO PORT TRUST ENGINEERING (CIVIL) DEPARTMENT

QUOTATION NO. CE/Q-31 /2020

Name of Work: Fixing tyre fenders at Passenger Launch Jetty and miscellaneous repairs".

SCHEDULE OF QUANTITIES AND RATES

Sr. No.	Description of work	Approx. Qty.	Unit of Qty. in words	Rate in Fig/ words	Amount (Rs)
1.	2.	3.	4.	5. 6.	7.
1	Providing and fixing 25 mm dia m.s eye hooks by installing / inserting 150 mm deep into the berth face wall including drilling up to 150 mm long hole in the RCC surface for fixing 25 mm dia hooks, anchored using compound of fosroc/ Hilti make or equivalent into the holes, etc. Rate to include for drilling and providing eye hooks, painting with a coat of primer and two coats of anti corrosive paint as directed. All tools, plant, labour and material etc complete.				
		56.00	Number	1518.00	85008.00

materials etc.complette. 3 Shifting and suspending the tyre fenders available tyres (Truck tyres) with m.s short link chain, both supplied by the department (contractor is required to collect tyres and m.s chain from AXEN.MOHC stores / near Gate no.9. MM stores) including making 3 holes in tyres as directed, providing, fabricating, fixing 100 mm dia G.I sleeves made of G.I pipe (Class B), each 150 mm long welded at one end to a 10 mm thick m.s plates (4 nos. per tyre) inside, outside of tyre fender to prevent tear of tyre around the hole to which the m.s chain link shall pass through the slot made in the plate as directed and this assembly is passed through a 110 mm dia approx. circular hole made in the tyre surface and the eye hook using a bull dog clamp of proper size providing safety equipments, pontoons of proper size, providing safety equipments,	2	Providing cement concrete (1:1:2), using 20 mm graded black trap stone metal out of quarried boulders as coarse aggregate including dismantling the loose / cracked concrete / plastered surface, cleaning the surface ,Mixing ,depositing and including providing shuttering Consolidating ,levelling ,making grooves as directed ,curing etc. all labours and			
Shifting and suspending the tyre fenders available tyres (Truck tyres) with m.s short link chain, both supplied by the department (contractor is required to collect tyres and m.s chain from AXEN.MOHC stores / near Gate no.9. MM stores) including making 3 holes in tyres as directed, providing, fabricating, fixing 100 mm dia G.I sleeves made of G.I pipe (Class B), each 150 mm long welded at one end to a 10 mm thick m.s plates (4 nos. per tyre) inside, outside of tyre fender to prevent tear of tyre around the hole to which the m.s chain link shall pass through the slot made in the plate as directed and this assembly is passed through a 110 mm dia approx. circular hole made in the tyre surface and the eye hook using a bull dog clamp of proper size providing safety equipments, pontoons of proper size, providing safety equipments, 28.00 Number 2269.50 63546.00		materials	0.00	7775 07	1005.04
ТОТАТ. 153219 04	3	tyre fenders available tyres (Truck tyres) with m.s short link chain, both supplied by the department (contractor is required to collect tyres and m.s chain from AXEN.MOHC stores / near Gate no.9. MM stores) including making 3 holes in tyres as directed, providing, fabricating, fixing 100 mm dia G.I sleeves made of G.I pipe (Class B), each 150 mm long welded at one end to a 10 mm thick m.s plates (4 nos. per tyre) inside, outside of tyre fender to prevent tear of tyre around the hole to which the m.s chain link shall pass through the slot made in the plate as directed and this assembly is passed through a 110 mm dia approx. circular hole made in the tyre surface and the eye hook using a bull dog clamp of proper size providing safety equipments, pontoons of proper size,			
101111 1002 3.04				TOTAL	153219.04

A 'Total Amount of Quotation Exclusive of GST = "A" Rs. 153219.04

1. ADD	% (IN FIGURES)
In words	,

Over the above amount at	"A" i.e from Rs. 153219.04 = Rs:
OR	
2. DEDUCT	% (IN FIGURES)
In words	
over the above amount at	"A" i.e from Rs. 153219.04 = Rs:
'B' Total Quoted Tender	Amount excluding GST)In Figure – Rs:
NOTES:	Only.
1.Tenderers should score	either "ADD "or "DEDUCT" as the case may be.
2.Tenderers are advised	in their own interest to inspect the site before
tendering.	
3. The quantities given at	oove in the schedule of Quantities and Rates are
approximate and are furn	ished for the guidance of the tenderers.
Witness's	Bidder's
Signature:	Signature:
Name :	Name:
Address:	Address:
Tel No:	Tel No:
Mobile No:	Mobile No:
Date:	Data

SIGNATURE OF THE TENDERER