



AN ISO 9001:2015 PORT

**MORMUGAO PORT TRUST**  
**ENGINEERING (CIVIL) DEPARTMENT.**  
**QUOTATION NOTICE**  
**QUOTATION NO. CE/Q-32/2019**

Sealed percentage rate quotations are invited from contractors registered with Engineering (Civil) Department of Mormugao Port Trust for undertaking the Work of “**Providing and fixing Galvalume sheet side cladding to Transformer Shed at A.O Building.**”

Earnest Money Deposit : Rs.2,300/-  
Estimated cost of work : Rs.1,11,612.80  
Contract period : 15 days.  
Cost of quotation : **Free of cost**

The quotation form can be obtained from the office of the Chief Engineer, Mormugao Port Trust, Headland Sada, during office hours from. **22/05/2019 to 29/05/2019**, on payment of free of cost Volume I comprising of Instruction to Tenderers, General and Special Conditions, General Specifications etc. of Mormugao Port Trust will be considered as part of Quotation Form.

GST registration for the bidder is mandatory. Bidder has to enclose attested copy of the GST Registration along with the quotation. GST has to be claimed extra as applicable while submitting the bill/bills. Tenderer should comply with all regulations of EPF, ESI, ALC, etc. No bill will be forwarded if the above regulations are not followed.

Quotation shall be accompanied by Earnest Money Deposit of **Rs.2,300/-** deposited with FA&CAO Mormugao Port Trust in Cash or enclosed Demand draft. Quotation without Earnest Money Deposit in the stipulated form will not be considered.

The interested firms may alternatively download the Tender Document from the Mormugao Port Trust **web site** <http://www.mptgoa.com>. The downloading of the Tender Documents shall be carried out strictly as provided on website.

No editing, addition/deletion of matter shall be permitted. If such action is observed at any stage, such offer is liable for outright rejection.

**A printed set vol-I issued to the contractor contains instructions to the Tenderers, General and Special Conditions of Contract, General specifications forms an integral part of the Tender Documents.**

Quotation duly completed should reach the office of the Chief Engineer, Mormugao Port Trust, Headland Sada by **15.00** hours on **29/05/2019**, and they will be opened at **15.30** hours on the same day in the presence of such quoters as may wish to be present.

The Port Trust reserves the right to reject any or all the quotations without assigning any reasons thereof.

CHIEF ENGINEER

Headland Sada.

Date :-



An ISO 9001:2015 PORT

**MORMUGAO PORT TRUST**  
**ENGINEERING (CIVIL) DEPARTMENT**  
**QUOTATION NO. CE/Q -32/ 2019**

**Name of work: "Providing and fixing Galvalume sheet side cladding to Transformer Shed at A.O Building."**

**APPENDIX - I**

Sr. No.	Particulars	Clause of G. C.	Details
1.	Amount of Security Deposit and time	-----	EMD to be converted to S.D.
2.	Period for commencement from the Chief Engineer's orders to commence.	-----	Within 3 days from receipt of PO or as directed
3.	Contract period	-----	15 days
4.	Amount of liquidated damages.	-----	Calculated at 0.5% value of the contract per week of seven days, or part thereof subject to a ceiling of 5% value of the contract.
5.	Free Period of maintenance.	-----	6 months
6.	Percentage of retention from each running account bill	-----	10%. For each running bill.
7.	Limit of Retention Money	-----	10% value of the contract.
8.	Total Security Deposit and Retention Money.	-----	EMD and 10% value of the contract recovered from the running bills.
9.	Minimum amount of interim Certificate.	-----	Full amount ( First & Final bill only)
10.	Time within which payment to be made after contractor's submission of the bill.		100% payment within 5 days of recording measurements and submission of bill in quadruplicate after obtaining signature of JE/EA and AEN/AXEN concerned (2 copies to Head Office) with all supporting documents.

**SIGNATURE OF THE QUOTER**

:-



**MORMUGAO PORT TRUST**  
**ENGINEERING (CIVIL) DEPARTMENT**

**QUOTATION NO. CE/Q-32/ 2019**

**Name of Work: “Providing and fixing Galvalume sheet side cladding to Transformer Shed at A.O Building.”**

**ADDITIONAL SPECIAL INSTRUCTIONS**

1. The work shall be carried without disturbing the operation of Port or other agencies working in the area.
2. All materials to be supplied should be in good condition as per the specification. It should be handed over to the engineer-in-charge. It will be issued for carrying out the work as and when required.
3. The Plant/machinery/craft and workman shall be insured during the work and receipts of payment made towards premiums shall be submitted to the Chief Engineer.
4. Quoters are advised to go through the Schedule of Quantities and Rates and sequence of work before submission of the tender. They are also advised to inspect the structure, ascertain for themselves the nature and the extent of work involved and also obtain all clarifications they may require before filling in the tender.
5. Quoters are required to sign with date the Schedule of quantities and Rates and the form of Quotation and fill in all the particulars and details called for therein. Unsigned quotations, without the details called for are liable for rejection.
6. **Measurements**  
The quantities provided for in the Schedule of Quantities and Rates are only approximate and are given to provide a common basis for tendering. The actual quantity may differ from those provided for in the Schedule in view of the complexity of the work. Payments will be made according to the actual quantities of work ordered and carried out, jointly measured by the representative of Chief Engineer and the contractor.

7. Rates and Prices to be inclusive.

The rates entered in the Schedule of Quantities by the contractor shall include the provision of all supporting special equipment, labour of required skill, supervision, materials, erection, overheads and profits, watch and ward, insurance charges, during execution and every incidental and contingent costs and charges, whatsoever, excluding GST if any for compliance with conditions of contract and specification. The GST will be paid extra as applicable which shall be claimed along with the Bill.

8. The specifications are intended to cover the execution of all works, necessary to complete the works, with all materials of accepted standards, as specified in the contract.

9. Method of Measurement

General

Unless stated or billed otherwise, all quantities shall be `net` as they finished and provided in the work. The rates and prices shall include all allowances towards wastage of materials required for use in the work.

10. The tenders will be deemed to have ascertained themselves to the extent and nature of the works involved, the various constraints and high degree of skill involved in the works.
11. Time is the essence of contract and the entire work should be completed within a period of **15 days** as specified in the schedule. The Quoter shall also submit detailed programme for the timely completion of work giving details of gangs/labour/material supply/plant and machinery etc. taking into account the limited time schedule provided.
12. The Contractor`s supervisory staff shall be fully experienced in the type of work to be carried out under their supervision.
13. The contractor shall insure plant, machinery and workers employed by him during execution of work and submit necessary insurance policies to the Department.
14. If the work has to be carried out beyond normal working hours and during night time approval in advance for the working has to be obtained from the Chief Engineer. Overtime charges of the departmental supervisory staff has to be borne by the `Contractor`
15. It shall be specifically noted that the contractor is expected to mobilize the required equipments and work force required to

complete the entire work included in the contract well within the stipulated period.

16. As a statutory requirement, the contractor shall take all measures of safety against fire hazard and electrocution at site as follows:-
  - a) All temporary electric supply connections will be carried out with correct sizes of wires/cables and fuses and other safety devices as required under Electricity Rules in consultation with us.
  - b) One bucket full of water and sand shall be kept at the work spot. A Portable fire extinguisher shall also be kept at the work spot.
17. Quotations with conditions will be out rightly rejected.
18. The Quoter shall inspect the site and fully study the work involved vis-à-vis the quantity and specifications etc. before quoting for the work.
19. Any damage to the property of Port should be made good or compensated by the contractor.
20. After completion of day's work/contract period the contractor shall clean, clear the work site to the satisfaction of the Chief Engineer or his site representative.
21. Permission for working beyond the normal working hours of the Port or on Sundays and Public Holidays as stipulated under clause No. 42 of General Conditions of Contract, (in the printed booklet) in volume-I of the tender document will be given to the contractor subject to his agreeing to bear the cost of overtime, if any, which may have to be paid to the Port's supervisory staff.
22. The contractor and his workers /agents shall be required to obtain from MPT and display a Photo Identity Card during entry, stay and exit from the Port Security areas guarded by CISF personnel`
23. All applications for issuance of Photo Identity Card shall be routed through the Chief Engineer, who shall forward the same to the Port's Traffic Department, whose pass section will issue the Photo Identity Card to the contractor or his agent free of cost and the same shall be valid for the duration of the contract or a period of one year, whichever is less.
24. All the materials to be used in the structure shall be conforming to relevant ISI specification or as specified in the Tender Schedule Contractor shall undertake laboratory test as specified in the relevant ISI at the discretion of Chief Engineer and only approved materials /approved brand of materials shall be used.

25. Water and electricity will be supplied to the contractor free of cost.
26. The quoter should comply with all regulations of EPF, ESI etc. No bill will be forwarded if the above regulations are not followed.
27. GST registration for the bidder is mandatory. Bidder has to Enclose attested copy of **GST** Registration No along with the Tender. **GST** has to be claimed extra as applicable while Submitting the Bill/bills.
28. ***“The bidder shall quote the price exclusive of GST. Applicable GST shall be paid on the quoted price. The bidder shall indicate the applicable GST rate on goods/Services in the price bid”***
29. **a. Security Deposit:** EMD deposited along with the tender will be Converted as Security deposit  
**b. Retention money:** Retention money shall be deducted from reach Running account bill at 10 % of gross value of work done to the Limits of 10 % of contract value.  
**c. Refund of Security deposit and Retention money:** S.D and Retention money shall be refunded only after successful Completion of Defect liabilities period (Free Maintenance period) if Applicable.
- 30). Unregistered Venders under **GST** has to submit Declaration that GST is not applicable to them, due to turnover of their firm being less than 20 Lakhs.

**Chief Engineer**



An ISO 9001:2015 PORT

**MORMUGAO PORT TRUST**  
**ENGINEERING (CIVIL) DEPARTMENT**

**QUOTATION NO: CE/Q-32 /2019**

**Name of Work: “Providing and fixing Galvalume sheet side cladding to Transformer Shed at A.O Building.”**

**SCOPE OF WORK**

The work put to the tender broadly comprises of the following items.

1. Excavation in dense or hard soil/murum etc. Plastering with cement mortar (1:3), etc.
2. Excavation in hard rock, laterite boulders interspersed with murum , etc.
3. Cement concrete (1:3:6) using 20mm graded black trap stone metal, etc.in foundation, etc.
4. Cement concrete (1:1½:3) using 20mm graded black trap stone metal, etc. in pedestals, etc.
5. Supplying & erecting in position structural steel work in single section (light sections up to 34 kg /m) as shown in Drawing No. NR/2234
6. Supplying, Providing & fixing corrugated Galvalum sheet 0.45 mm thick of TATA/JINDAL/EVEREST make or any other approved make and shade in vertical sheeting/side walling, etc.

**CHIEF ENGINEER**





An ISO 9001:2015 PORT

**MORMUGAO PORT TRUST**  
**ENGINEERING (CIVIL) DEPARTMENT**  
**QUOTATION NO. CE/Q-32/2019**

**Name of Work: "Providing and fixing Galvalume sheet side cladding to Transformer Shed at A.O Building."**

**SCHEDULE OF QUANTITIES AND RATES**

Sr. No.	Description of work	Approx. Qty.	Unit of Qty. in words	Rate in Fig/ words	Amount (RS)
1.	2.	3.	4.	5. 6.	7.
1	Excavation in dense or hard soil/murum etc. including removal of obstructions such as small trees, vegetation etc. and removal of excavated material up to a lead of 50m and a lift of 1.5m including refilling foundation trenches. All tools, plants, labour and material etc. complete.	1.00	Cubic Metre	939.00	939.00
2	Excavation in hard rock, laterite boulders interspersed with murum etc. including removal of obstruction such as small trees, vegetation etc., refilling the trenches with suitable excavated material or earth removed from nearby areas and removal of unsuitable excavated material up to a lead of 50m and a lift of 1.5 m. All tools, plants, labour and material etc. complete.	2.00	Cubic Metre	3158.00	6,316.00
3	Cement concrete (1:3:6) using 20mm graded black trap stone metal out of quarried boulders, as coarse aggregate including mixing, depositing, consolidating, levelling, curing etc. all tools, plants, labour & material etc. complete	0.30	Cubic Metre	5804.00	1,741.20

4	Cement concrete (1:1½:3) using 20mm graded black trap stone metal out of quarried boulders, as coarse aggregate including mixing, depositing, consolidating, levelling, curing etc. all tools,plants ,labour & material etc. complete	3.50	Cubic Metre	6899.00	24,146.50
5	Supplying & erecting in position structural steel work in single section (light sections upto 34 kg./m) incl. cutting, hoisting, fixing in position and cleaning the surface, painting two coats of approved quality synthetic enamel paint of approved colour/ shade over a coat of red oxide zinc chromite primer etc. All tools,plants labour & materials tools & plant etc. complete.	4.00	quintal	8,341.00	33,364.00
6	Supplying, Providing & fixing corrugated Galvulame sheet 0.5 mm thick of JINDAL make or any other approved make and shade in vertical sheeting/side walling including necessary cutting drilling holes necessary bolts hooks and nuts, G.I. and bitumen washers etc.as per manufacturer's specification. Inclusive of all wastage etc. All tools, plants, labour and material etc. complete.	65.00	Square Metre	693.94	45,106.10

**Total (A) Rs.1,11,612.80**

TOTAL AMOUNT OF TENDER INCLUSIVE OF ALL TAXES (except GST) =  
**"A" = Rs.1,11,612.80**

1. ADD \_\_\_\_\_ % (IN FIGURES)

In words \_\_\_\_\_

Over the above amount at "A" i.e Rs. \_\_\_\_\_

OR

2. DEDUCT \_\_\_\_\_ % (IN FIGURES)

In words \_\_\_\_\_

From the above amount at "A" i.e. Rs. \_\_\_\_\_

1. Total Quoted Tender Amount inclusive of all Taxes(except service tax)

in Figure – Rs.

In Words Rupees \_\_\_\_\_

\_\_\_\_\_ Only.

TENDERERS SHOULD SCORE OUT EITHER "ADD" OR "DEDUCT" AS THE CASE MAY BE"

NOTES:

1. Tenderers should score either "ADD" or "DEDUCT" as the case may be.
2. Tenderers are advised in their own interest to inspect the site before tendering.
3. The quantities given above in the schedule of Quantities and Rates are approximate and are furnished for the guidance of the tenderers.

Witness's: \_\_\_\_\_

Tenderer's: \_\_\_\_\_

Signature: \_\_\_\_\_

Signature: \_\_\_\_\_

Name : \_\_\_\_\_

Name: \_\_\_\_\_

Address: \_\_\_\_\_

Address: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Tel No: \_\_\_\_\_

Tel No: \_\_\_\_\_

Mobile No: \_\_\_\_\_

Date: \_\_\_\_\_

Date: \_\_\_\_\_