

Ref; CE/Q-14/2021/

16.03.2021.


Sub:Supplying fine bubble diffuser for 1200 m³ the STP at Headland.

The subject Quotation was uploaded on MPT web site and notice board inviting Quotation on percentage rate basis, and single item, and as quotation No: CE/Q-14/2021 .It is observed that the rates were inclusive of GST which need to be corrected before the opening of the Quotation. The date of sale and opening of the Quotation is 11.03.2021 and 22.03.2021 respectively. The Amount put to Quotation is Rs 45,595.20 (which is inclusive of GST) and the rate of the item is Rs. 1085.60


The revised BOQ to be read as, rate Rs.920/-per unit, and amounting to Rs. 36,640/- (Excluding GST).The amount for the Work put to Quotation will be Rs. 38,640/-

The Chief Engineer may kindly Approve:

1. To post the revised BOQ as corrigendum to this Quotation


XEN/AC
M.S. of deep

Dy Chief Engineer.

may be approved ~~please~~  16/3
to post the corrigendum the corrected BOQ please.

Chief Engineer.




CORRIGENDUM

Quotation no : CE/Q-14/2021.

Name of work : Supplying fine bubble diffuser for 1200 m³ STP at Headland

The rate for the item described in the BOQ is inclusive of 18% GST. Therefore the total amount put to Quotation I Rs.38,640/- against the total amount of Rs. 45,595.20.

The BOQ may be quoted accordingly.


Executive Engineer
(M.S.D. - 100)